R-77/ARC-3 VHF AIRCRAFT TYPE AM RECEIVER,8 CHANNEL CRYSTAL CONTROL ELECTRIC BAND CHANGE WITH TUBES 9001,9002,12A6,12H6,12H7,12SL7,2/12SN7,3/12SG7 & 12SH7,12SL7,2/12SN7,3/12SG7 & 125 MA. SIZE:11X7XI5. WT: 2LLBS.W/SCHEMATIC PRICE USED COMPLETE WITH TUBES \$19.95 CONNECTOR PLUG TO FIT FRONT OF SET 2.50

T-67/ARC-3 VHF AIRCRAFT TYPE
TRANSMITTER AM, 8 CHANNEL
CRYSTAL CONTROL ELECTRIC
BAND CHANGE, WITH TUBES 2/832
2/6L6,1/6J5,3/6V6 & 1/12SH7.
VOLTAGE REQUIRED 24 VDC &
410 VDC 325 MA. SIZE:15±x7±x12±. WT: 21 LBs.

PRICE USED COMPLETE WITH TUBES \$24.95 CONNECTOR PLUG TO FIT FRONT OF SET 2.50

JB-68 JUNCTION BOX FOR ARC-3 RADIO SET USED TO MOUNT DYNAMOTORS DY-22 FOR REC & DY-21 FOR TRANS. ALSO HAS EDWNSCTOR PLUGS TO HOOK UP REC, TRANS, CONTROL BOX & POWER, & RELAYS. SIZE: 10 2 × 3 ± × 2 ±

C-II8/ARC-3 CONTROL BOX FOR RECEIVER AND TRANSMITTER. HAS EIGHT PUSH BUTTONS FOR CHANNEL SELECTION AND ONE FOR OFF. \$12E: 66.95 CONNECTOR PLUG U-16/U 2.50

**YNAMOTOR** 

VOLTS DC 500 MA: INPUT 27.5VDC 27 AMPS.8500


RPM. CAN BE OPERATED FROM 12VDC INPUT, OUTPUT 4000

400VDC TO 700VDC DEPENDING ON HOW MANY AMPS YOU DRAW, SIZE: 82×4 WT: 132 LBs.

STK# DN-2528-1 PRICE: UNUSED \$3.95

LIMA, OHIO

CATALOG S-60



115 VOLT 60 CYCLE 1/100 HP CAPACITOR TYPE MOTOR WITH AUTOMATIC GEAR & RACHETT ASSEMBLY THAT ENABLES YOU TO PRE-SET MOTOR STOPS ANY 10 POS-ITIONS WITHIN 360 DEGREES. UNIT IS GEARED TO A TWO DEGK 12 POSITION CERAMIC WAFER

CERAMIC WAFER SWITCH THAT TERMINATES INTO A PLUE IN BOCKET. LOCAL ON THAT TERMINATES INTO A PLUE IN BOCKET. LOCAL CONTROL PANEL HAS CHANNEL SELECTOR MUMBERED | TO | 10 WHICH ENABLES YOU TO BELECT THE POSITION AFTER THE STOPS ARE SET. PANEL ALSO HAS LIGHT DIMMER CONTROL AND LOCAL/REMOTE SWITCH THAT ENABLES YOU TO OPERATE UNIT FROM REMOTE POSITION. PART OF RDZ-| AUTOTUNE ASSY.

COLLINE #596A-|. SIZE:9 x 4 x 6 WT; 7 LBs.

STK# RDZ-23491 PRICE: NEW....\$14.95



DETECTION MICROPHONE USED TO PICK UP UNDERWATER SOUNDS. ROCHELLE SALT TYPE, FREQ RANGE I TO 20 KC., IMPEDANCE AVERAGE 25 OHMS. UP TO 400 FT. ALSO TRANSFORMER. HOUSED IN WATERPROOF JACKET FILLED WITH OIL & 91 RUBBER CABI

TRANSMITTER WITH PARACHUTE USED TO DROP FROM AIRCRAFT IN ORDER TO MARK LOCATIONS. SENDS MCW SIGNAL 70-90MC, BATT, OPERATED WITH TUBES 3/14,1/304 & 1/3A4. WHEN UNIT IS DROPPED 6' RAYON PARACHUTE OPENS, WEIGHT ON BOTTOM OF SET IS LOWERED BY A SPINNER TYPE REEL & NYLON LINE THAT TURNS A PROPELLER STABILIZER AND CONTROLS THE RATE OF FALL. UNIT ALSO HAS A 40" FLEXIBLE WHIP ANTEMNA AT THE TOP & A COIL TYPE DIPOLE ON THE BOTTOM. IN WATERPROOF CONTAINER 50" LGX72DIA. WT 30LBS, STK# AN/CRT-4

# MOTOROLA

COMMERICIAL TYPE MOBILE REVEIVER MEG. BY MOTOROLA FOR THE GOVIT.
SINGLE CHANNEL CRYSTAL
CONTROL DOUBLE CONVERSION IN THE 30-40 MC RANGE. COMPLETE WITH TUBE
6/6SD7,/6K8,2/6H6, 6CB,/6K6, 6VOLT DC VIBRATOR POVER SUPPLY USE 2/6X5 TUBES ALSO
SQUELCH CIRCUIT, MOTSE LIMITER, OUPUT JACKS E
SIZE: 15x9x9t 35 LBS. PRICE: USED \$24.95
MOTOROLA FIME-13V
SAME AS ABOVE ONLY NO POWER SUPPLY BUT IN
NEW CONDITION \$29.95



USED FOR CHECKING SENSITIVITY, TUNING, ANTENNA SYSTEMS, CALIBRATION AND LIMIT CALIBRATIONS OF ALTIMETERS. CONTAINS 370 FT & 70 FT 580HM RG-54A/U'COAXIAL CABLE DELAY LINES, L-10! COAXIAL ATTENUATOR, 1D-98 INDICATOR, 2/8 FT 1/20", 1/12" of RG-8 52 OHM COAXIAL CABLE WITH PL-259 CONNECTOR EA. END AND 4/S0-239 CONNECTORS. COMPLETE IN CARRING CASE 19x15x7 WT 36

(SEE PAGE 5 FOR COAXIAL CABLE & CONN. ONLY)
PRICE: USED \$15.00 UNUSED \$18.00



ANGULAR RATE CONTROL PART
OF AUTOMATIC PILOT B-!.
CONSISTS OF 3 SEPARATE
PLUG IN GYROS NAMELY ROLL
PITCH & YAW, SIZE 4X4X5.
ALSO CONTAINS RECTIFIERS,
TRANSFORMERS, CONDENSERS,
TRANSFORMERS, CONTROLS ETC.
STK#IJD405-G5.
SIZE:[0x112x72 WT; 25 LBS

PRICE: USED \$14.95

# ALLENTOWN AD STATE ROUTE 81-NEW LOCATION Fair Radio Sales Co. From New Orleans, La. 2133 ELIDA ROAD

Fair Radio Sales Co. 2133 ELIDA ROAD P. O. BOX 1105 Lima. Ohio

RETURN AND FORWARDING POSTAGE GUARANTEED

PAID

NO SUCH POST OFFICE IN STATE NAMED.

## FAIR RADIO SALES



0-150 AC









# Round flush type for 2-1/8" hole,

0-150 AC	Round flush type for 2-1/8" hole, Bakelite ease. Westinghouse type NA-33, 25 to 125 cycles.	
	Signal Corps No. 3F8150-69	6.25
0-300 AC	3" round flush type, bakelite case, Simpson and General Electric Mfg. Signal Corps No. 3F8300-28	7.50
	C Voltmeter 21 RD. Unused No.IS-122	2.95
0-30 DO	Round flush type, for 2½" hole. General Electric Mfg. Model 85W53AA1. Stock No. 2DA7	5.75
0-300 DC	Round flush type, bakelite case, shielded, for 24" hole. Sun Mfg. Model 2AU346. Stock No. 159E-12	5.75
0-5 DC	Kilovolts 7"RD. Unused We No.8303L1	12.95
	MILLIAMMETERS	
0-3 DC 50-0-50 DC	Full scale 8 MA. 2 7 RD. No.IS-171 3" round flush type, bakerite case. Sangamo and Weston model 301.	2.95
100	Signal Corps No. 3F3327	6.25
0-500 DC 0-100 DC	Milliamp. "22"RD Unused No.IS-22 3" round flush type, bakelite case.	2.95
	De-Jur model 310. Signal Corps No. 3F910-1	6.95
0-800 DC	3" round flush type, bakelite case, calib. for 1/8" steel panel.	
	Signal Corps No. 3F980-2 R.F. METERS	6.95
Q-3 RF	Ammeter 22" RD. New Boxed No.IS-128	2.95
0-8 RF 0-10 AMPS	AMMETER 25" RD. Unused No. IS-89	2.95
	Signal Corps No. 3F1010-24	5.95
0-1 AMPS	3" round flush type, bakelite case, Triplett model 0341-T or Weston mode	1 6.25
0-100 MA	425. Signal Corps No. 3F1001-31 For 2-1/8" hole, metal case. Calib.	0.20
	for 1/16" steel panel, with Thermocouple. General Electric model AAN21 type DW-52. Signal Corps No. 3F912 AMMETERS	5.50
30-0-30	DC Ammeter 7" Fan " West No.271	12.95
0-15 DC	DC Ammeter 7" Fan " West No.271 Ammeter 4½" Fan Hoyt in metal case with test leadsNo.515	3.95
0-30 DC	3" round surface mounting. Roller-Smith type TDS. Signal Corps No. 3F1030-9	6.95
0-30 DC	2" round flush type, metal case. Hoyt Meter Co. No. H17-3, scale has marking for 12 volt and 6 volt.	
0-1.5 DC	Signal Corps No. 3F1030-22 Miliamp.Tube checker scale	5,50

Decibel Meter, Rectifier type 0 DB 6 Volt AC, 10-0-6. 3" round flush type, bakelite case. Westinghouse type NC-35, style IN-37854-1, U.S.N. type CAY-22285. Stock No. 2DA17

0-75 AC

Designed to measure Pulse or CW frequen cy in the 3CM or 9 CM band. Uses a tun eable line coupled by a inductive loop across a crystal circuit. Indication is on a 3" 0-200 DC Microampere meter. W/cables & instruc. UNUSED \$14.95



Miliamp. Tube checker scale 2½" flush mtg.P/O I-56A W.No.685-2 Ammeter less shunt 3½"RDN No.331JP

DECIBEL METER


## 1-166 VOLT OHMMETER \$16.95

2.95

\$4.95

USED NEW 7.95

GENERAL UTILITY VOLTOHMMETER
TEST UNIT WITH 3" METER 1000
OHMS PER VOLT IN CARRING CASE
WITH TEST LEADS.SCALE READINGS
0-500 A C VOLTS
0-1500 D C VOLTS
0-1600MEGENME 0-1 MEGOHMS 0-150 WATT AF OUTPUT 4000 OHMS 300 " AF " 300 " SIZE: 7x6x5 WT:6 LBS. NEW \$16.95



ID-228/APA-64

CONTAINS TWO 200 MICROAMMETERS, 2½"
METERS FOR PULSE RATE & FREQ. INDICATION WITH 0-500 & 0-100 SCALE. MULT-IPLIER SWITCH FOR I x 2 x & 10 x THE TIMES OF THE SCALE. OTHER METER W/
0-5 & 0-20 SCALE FOR PULSE WIDTH & MULTIPLIERS I x & 4 x, ALSO ON & OFF AND RESET SWITCH.SIZE 6x42x32 WT.4LBS PRICE USED \$6.95 NEW 9.95

2133 ELIDA ROAD ROUTE 30 SOUTH. WEST OF LIMA

#### **BOX 1105 LIMA, OHIO** TELEPHONE CAPITAL 6-6716

STORE HOURS MONDAY THRU SATURADAY 9 AM to 5:30 PM

#### TERMS

FRICES NET, F.O.B. LIMA, O. SEND CASH, CHECK OF MONEY ORDER with FURCHASE ORDER

MINIMUM ORDER \$3.00.0rders less than \$3.00 ADD \$.50 HANDLING CHARGE.

Include sufficient money for for shipping charges. (UNDSED PAYMENTS RETURNED AT ONCE.) Otherwise we will send shipping charges collect.

C.O.D ORDERS, SEND 25% of PURCHASE with ORDER, BALANCE will be COLLECTED UPON DEL-

When writing for information PLEASE state what specfic information you desire.

LOOK in RADIO & TV NEWS & CQ MAGAZINES FOR OUR ADS SHOWING NEW ITEMS MONTHLY.

#### F.C.C. RULES

The Federal Communication Commission has regulations regarding the use of all Communication & Electrical Radiating Equipment.

Following is a list of services you may be interested in and for information regarding these services write SUPERINTENDENT of DOCUMENTS U.S. GOVERMENT PRINTING OFF. WASHINGTON 25, D.C.

CITIZENS RADIO SERVICE Catalog#CC-1.7-19 .19 cents.

PUBLIC SAFTEY RADIO SERVICE Catalog#CC-1.7-10 15 cents.

DOMESTIC RADIO SERVICE Catalog#CC-1.7-11 15 cents.

INDUSTRIAL RADIO SERVICE Catalog #CC-1.7-11 20 cents.

AMATUER RADIO SERVICE Catalog#CC-1.7-12 15 cents. Be sure to give all information and send payment.

SURPLUS CONVERSION MANUALS
A MUST for beginers and a help
to the old HAM. BUY THEM NOW.



CONVERSION MANUAL #1 ....\$2.50 CONVERSION MANUAL #2 .... 2.50 CONVERSION MANUAL #2 ... 2.50 COMMAND SETS CONVERSION . 1.50 ANTHOLOGY CONVERSIONS #1 .2.00

#### ARRL BOOKS

	THE RESERVE OF THE PERSON NAMED IN	
	RADIO AMATEUR'S HANDBOOK	. \$3.50
1	MOBILE MANUAL	2.50
d	ANTENNA BOOK	2-00
3	SINGLE SIDEBAND BOOK	-1-50
4	HINTS & KINKS	.1.00
ì	RADIO FUNDAMENTAL COURSE	.1.00
	TECHNICAL MANUALS \$3.00	
	RC_1000 RC_1306 po cos	

BC-312 SCR-508 MARK 11

SCHEMATICS..\$1.00 Each. BC-1000 BC-312 BC-348 PE SCHEMATICS...\$1.00 Each.
BC-1000 BC-312 BC-348 PE-237
BC-1306 BC-683 BC-375 PE-117
BC-1335 ARB BC-191 PE-120
Also Command series, RAX.BC-779 TS-36/AP X BAND RADAR POWER METER

GENERAL PURPOSE INSTRUMENT
USED FOR CHECKING RADAR
SETS IN THE X BAND.
BATTERY OPERATED. 0-200
MICROAMPS DC METER 32\*\*
SIZE 9X7X6 WT: 9 LBS.
PRICE; LIKE NEW \$14.95





#### TS-67 TEST SET

PROVIDES MEANS FOR ALIGNMENT OF RF AND IF; INDICATOR SENSITIVITY AND COURSE BALANCE OF RADIO RECEIVING SETS AND ARMOUNT OF REC

TS-35 X BAND SIGNAL GENERATOR FREQUENCY METER FOR RADAR



GENERAL PURPOSE INSTRUMENT USED FOR TESTING RADAR SET IN THE OPERATING RANGE OF 8500 TO 9500 MC APPROX 3 TO 3.5 CM. PRODUCES R.F. SIGNAL CW OR PULSED AS WELL AS MEASURING SAME TYPE SIGNALS RECEIVED FROM OTMER SOURCES. OPERATES FROM 115 VOLT 50 TO 1200 CYCLE. SIZE: 13 x 9 x 9: WT: 35 LBS.

PRICE: USED \$29.50



TS - 305A/UP POWER METER
POWER OUTPUT METER FOR THE FREQUENCY
RANGE OF 220 TO 320 MEGACYCLES IN SIX
STEPS. KILOWATT METER 31 9-50 scale.
USES TUBES 1/6H6,1/6SN7 & 1/2B22.
COMPLETE IN ALUMINUM CARRING CASE 12 x
10 x 12. OPERATES FROM 115 VOLT 50-1600
CPS. WT:23 STK.# 3F4325-305
PRICE: USED \$12.95 NEW \$16.95

NOISE GENERATOR SG-8/U
TEST UNIT WITH A 3" METER 0-1 MA.
SCALE AND MULTIPLIER SWITCH X1/X10
X50. VARIABLE OUTPUT TO COAXIAL
CONNECTOR. OPERATES FROM 115 VOLT
50-1600 CYCLE. REMOVEABLE UNIT
IN CARRING CASE SIZE 11X9X11 WT: 24LBS
STK# SG/8U GENERATOR PRICE: USE



USED \$12.95



WT: 46 LBS PRICE: U.\$14.95

TS-I5A/AP FLUX METER
PORTABLE TEST SET USED FOR MEASURING FLUX DENSITY
OF MAGNETS IN TERMS OF GAUSSES. CONTAINS 32 FAN
TYPE METER AND A PORTABLE PICKUP THAT TRANSFERS
THE ENERGY TO THE TEST SET. IN WOOD CARRING CASE
SIZE 5 x 10 x 6. WT: 6 LBs.
PRICE USED GOOD CONDITION \$22.95

MX-949 TUBE CHECKER ADAPTER FOR 1-177 TUBE CHECKER.

PRICE USED \$22.95



BC-638 FREQUENCY METER

Frequency coverage 100 - 156 MC, rrequency coverage 100 - 156 MC, crystal control on four preset channels, magic eye & variable tuning. Used with SCB-522, BC-639 and other sets. Operates from 115 volt 60 cycle, provisions for battery operation. 19" rack panel mounting, 7"high 9" deep. Also has modulation.



PRICE USED \$14.95



\$16.95 BC-603 RECEIVER

Freq. Range 20-27.9 MC.10 preset push-button channels or Manual Tuning. Has sensitivity and volume control squelch on and off. 2 watts output to self contained and off. 2 watts output to self contained speaker. Sensitivity 1 microvolt 2.65 KC IF 12 V. operation with DM-34 Dynamotor, 24 V. operation with DM-36 Dynamotor, battery drain @ 12 V. 4 Amp. 10 Tubes; 6AC7 RF Amplifier, 6AC7 Modulator, 635 RF Oscillator, 12SG7 IF Amplifier, 6AC7 Limiter, 6H6 Detector, 6V6 2nd AF Amplifier and IF Oscillator. Size: 11½"H X 6 3/4"W X 12½"D. Wt. 30 1bs.

BC-683 RECEIVER \$34.95

AC Power Supply for BC-603 or BC-683, plugs into same place as dynamotor. NO CONVERSION TO SET. Transformer & tube type, no selenium rectifiers set is not hot.
KIT of PARTS \$10.00 COMPLETELY WIRED \$14.95 FT-346 SINGLE RECEIVER MOUNTING......\$4.95

Dynamotor for BC-683 or BC-603 12 volt input, output 220VDC 80Ma.

DM-34 Dynamotor Used \$2.95 RE-New \$4.95

#### BC-604 TRANSMITTER USED\$4.95

Freq. Range 20-27.9 MC Output approx. 30 Watt. 10 crystal controlled channels. Freq. 54 time crystal frequency. 12 Volt DC operation with DM-35 Dynamotor. 24 Volt DC operation with DM-37 Dynamotor. Battery drain 20 A. on 12 Volt. Tube lineup; 1619 lst Audio Amplifier, 1619 2nd Audio Amplifier, 1619 Oscillator, 1619 Doubler, 1619 Tripler, 1619 1st RF Amplifier, 1619 RF Rectifier, 1624 Power Amplifier. Size: 18"L X 11½"H X 10 3/8"D. Wt. 60 lbs. less dynamotor. RE-NEW 7.95

BC-684 TRANSMITTER Same as BC-604; USED \$6.95 RE-NEW \$9.95 27 to 39.1 Mc.

DM-35 Dynamotor 12 volt for BC-604,684 USED: \$6.95 RE-NEW \$9.95

## BC-924 TRANSMITTER New \$ 12.95



Freq. Range 27-39.1 MC. 12 Volt DC operation. Voltage regulated M.O. Circuit. Slug tuned coils Hi and Low Output Switch. 30 Watt output on Hi position. Contains Interphone Amplifier. Schematic enclosed in cabinet. Tube lineup: 6SJ7 Oscillator, 6J5 Modulator, 6SJ7 Buffer, 6AG7 Amplifier 815 Doubler, 815 Final, 6SL7 1st Audio, 6V6 2nd Audio. VR150 Voltage Regulator. Voltage required 12 or 24 VDC and 400 VDC 2 400 MA. Size: 18"L X 112"H X 10 3/8"D. Wt. 52 1bs. Wt. 52 1bs.

## FT-237 MOUNTING BASE

Shock Mount base to hold one BC-924 Transmitter and one or two BC-923 Receiver or one BC-604 Transmitter or one or two BC-603 Receiver. Sockets on the base will make all of the necessary connections to the sets. Terminal block mounted on the base for remote control cable. Wt. 44 lbs. Size: 11 3/4"W X 1 3/4"H X 33 5/8"L.

## BC-659 RECEIVER-TRANSMITTER

FM TRANSMITTER & 27 to 38.9 Mc. & RECEIVER

BC 659 Receiver-Transmitter crystal control on any two pre-selected channels, 80 channels.Uses FT-243 crystal 13 tubes, namely 1LH4,1LC6, 4/1LN5,2/1291,4/1299&i/1291.

Complete with tubes, speaker, meter & two crystals.
Range approx. 5 miles.
Size 15" x 13;" x 64".

ANTENNA

ANTENN BC 659 Receiver-Transmitter

PE-120 POWER SUPPLY FOR BC-659 FOR BC-659 SEE BELOW \$2.95

DRY CELL BIAS BATTERY FOR BC-659 & BC-620

3 70 C

## BC-620 RECEIVER TRANSMITTER

F M Receiver - Transmitter 20 to 27.9 Mc. 51 Same as BC-659, above, only no speaker.
Size 62x131x20, WT.26 lbs.
AM-45 Telescoping Antenna for BC-620....\$1.95

#### PE-120 POWER SUPPLY Re-New: \$ 7.95 Used: \$ 4.95

Vibrator Type for use with BC-620 or B6-659, fastens to bottom of set, same as PE-117 shown above. Operates from 6,12 or 24VD Supplied with 12 volt vibrator only. Size 42x13tx15t. WT 30lbs.

FT-250 Shock-Mounting Base for holding BC-620, BC-659, PE-120 or PE-117, singly or stacked. Size  $4\frac{1}{2} \times 11\frac{1}{2} \times 20$ , WT.  $11\frac{1}{2}$  lbs. Used \$2.95 RE-NEW \$4.95

#### RECEIVER F-M TRANSMITTER



FM RADIO RECEIVER R-19/TRC-1 70 to 100 MC. 4s SINGLE CHANNEL CRYST-AL CONTROLLED, DOUBLE CONVERSION SUPERHETERO-CONVERSION SUPERHETERODYNE DESIGNED FOR HIGHFIDELITY F-M RECEPTION,
30 KC DEVIATION MAKING
POSSIBLE A BAND PASS OF
250 TO 12,000 CPG.
COMPLETE WITH 16 TUBES
3/6AC7,7/6SH7,2/6H6,1/
6SN7,4/6V6,1/6SL7,1/6X5,
ALSO HAS 4" PM SPEAKER
2½" METER FOR READING
VOLTAGES WHEN MAKING ADJUSTMENTS & TUNNING SET.
OPERATES 115/230 V 5060 CYC. W/SQUELCH GIRCUIT SIZE-16/10-10 OPERATES | 157/230 V 500-60 cyc.\footelon firedit | Size: 16\footelon x12 | Size: 16\footelon x12 | WT: 65 LBs. Condition used: \$24.95



FM TRANSMITTER T-14/TRC-1 18 CRYSTAL CONTROLLED 40 WATT SINGLE CHANNEL 70-100



USED FOR AIRCRAFT DIRECTION FINDING CAN ALSO BE USED FOR BOATS, CONSISTS OF A 15 TUBE RECEIVER COVERING THE FREQ. OF 150 TO 1750 KC IN FOUR & 24 VDC. COMPLETE WITH TUBES 4/6K7, 1/6L7, 1/6J5, 2/6B SIZE: 12x8x19, WT; 45LB.

R-5 /ARN-7 REC. USED 400

R-5 /ARN-7 REC. USED \$19.95 R-5A/ARN-7 " 24.95 R-5A/ARN-7 " 24.95 C-4 /ARN-7 CONTROL " 4.95 H BOX NEW 9.95 LOOP 1-82A 5" INDICATOR USED2.95 USED \$18.95







12 VOLT \$69.50



**BC-652 RECEIVER** 

BC-652 RECEIVER AM 2 to 6Mc., two bands, large illumiated dial, AVC, MVC, AVC and volume controls, output jack for phone or speaker on front panel. Eleven tubes, Receiver section 1/12SG7,2/12K8,2/12SK7,1/12G8,1/12SR7,1/6 Size 72 x 14 x 12, Wt.
Plug for rear of Receiver Price Used \$ 19.95

DM-40 Dynamotor 12Volt, Used 4.195 New 2.95 2/6SC7. 2/6SC& \$1.95

### **BC-653 TRANSMITTER**

BC-653 TRANSMITTER 2 to 4.5 Mc. 50 watt voice 100 watt CW, range 25 to 50 miles depending on conditions. Master oscillator control, four preset channels. Seven tubes2/814,1/807, 2/1613,2/VR-105. Two 2t" metere for reading Filament & Plate voltages & current and

Voltage required: 12VDC, 1000VDC 220Ma.,500VR6 VDC 185Ma. Size 26 x 12 x 14. Wt 1401bs. A real good buy . Price \$19.95 Used

DM-42 Dynamotor 12 volt, used \$4.95

### FT-253 MOUNTING BASE


FT-253 Mounting to hold Rec. & Trans. Used \$3.95 Size 34 x 12 x 3 Wt. 30 lbs. Unused \$5.95

### BC-1306 RECEIVER TRANSMITTER

BC - 1306 RECEIVER-TRANSMITTER

efficient two - way Radio-Telephone or Telegraph set that provide communication up to 15 mil es on voice & 30 mil es on C W.

Frequency range 3800 to 6500 KC.crystal control or MO. used to calibrate the REC & TRANS. on any two preset crystal controlled freq. by use of the MO, CRYSTAL A & CRY\* stal B switch.



PE-237 POWER SUPPLY for BC-1306,6,12 or 24VDC operation. Suppllies all necessary voltages to operate set also low voltage for standby. Size 19 x 10 x 9. Wt. 75 lbs.

Price .... USED \$ 14.95

BC 433G COMPASS RECEIVER 200 TO 1750 KC, 3 BANDS 15 TUBES SAME AS R-5/ARN-7 TO LEFT ONLY EARLIER MODEL USES ALL SAME ACCESSORIES EXCEPT CONTROL USED \$\$2.95

COMMERCIAL TYPE MOBILE COMMUNICATION SET, MFG. BY LINK. TRANSMITTER #2240 IS A 50 WATT SET USING 2/2E26 TUBES DRIVING 829 IN THE FINAL ALSO 1/7AG7,1/7F7,1/7M7. POWER SUPPLY IS A 6 VOLT DYNAMOTOR WITH A OUTPUT 500 VDC 225 MA.RECEIVER IS VERY SELECTIVE DOUBLE CONVERSION SET WITH SQUELCH CIRCUIT USING 2/6AK5,2/7A6,7/7AG7,1/7F7 & 1/7B5. VIBRATOR POWER SUPPLY 6 VOLT WOUTPUT APPROX 200-250 VOLT 80 MA.LINK TYPE #1905. BOTH UNITS ARE CRYSTAL CONTROLLED, PHASE MOD. 15 KC. UNITS HAVE BEEN USED BUT IN GOOD CONDITION AND ARE COMPLETE WITH CABLES, CONTROL BOX, HANDSET. SIZE EACH UNIT 12x8\(\frac{1}{2}x7\frac{1}{2}.TOTAL WT60

## SCR 274-N ARC.5

#### COMMAND RECEIVERS-TRANSMITTERS

The COMMAND SET series of transmitters and receivers are the most popular surplus items on the market to-day.

The series consist of several units covering the frequency range of 190 KC to 9.1 MC for the receivers and 2.1 to 9.1 MC for the transmitters.

For those of you who are not familar with this equipment and would like to know more about it we suggest that you purchase COMMAND SETS MANUAL for \$1.50. This book has 135 pages of conversion information including power supplies, schematics etc.

#### RECEIVERS

The receivers are six tube superhets using the following tubes, 1/12%6, 2/12%87,3/12%87 & 1/12%87. Designed to operate from 24 VDC dynamotor, which mounted on the rear of the set, suppling 250 VDC 60 MA.
Size of set 5 x 5 x 11 WT. 6 lbs.



BC-453/R-23 190 to 550 KG \$14.95 used BC-945/R-24 520 to 1500 KC no stock

|R-25 1.5 to 3.0 MC no stock

BC-455/R-26 3.0 to 6.0 MC \$14.95 new

BC-455/R-27 6.0 to 9.1 MC 8.95 used

R-28 100 to 156 MC no stock

#### **TRANSMITTERS**

The transmitters with proper use can put out 50 watts or CW and watts on voice, with the use of the BC-456 modulator which is a separate unit. Dynamotor used with equipment is a DM-33 24 VDC input output 575 VDC 175 MA & mounts on the modulator. Tubes used 2/1625,1/1626 & 1/1629 magic eye tube for crystal calibration Size 5 x 7 x 12 WT.9 Lbs



-18 2.1 to 3.0 MC \$ 5.95 \$ 8.95 BC-696/T-19 3.0 to 4.0 MC no stock BC-457/T-20 4.0 to 5.3 MC no stock BC-458/T-21 5.3 to 7.0 MC no stock BC-459/T-22 7.0 to 9.1 MC\$12.95 new T-23 100 to 156 MC\$16.95 NEW



BC-456 MODULATOR & dynamotor mounting. used with command transmitters. Tube lineup 1/1625,1/12J5GT& 1/VR-150 Size 7x8 x10 WT.92 lbs.

\$2.95

#### **ACCESSORIES**

BC-451 Transmitter Control box \$1,00 FT-220 Three Receiver mounting Connector plugs f/ comm. equip. ea.
DM-32/12 volt dynamotor f/rec.New 4.95
DM-32/24 volt dynamoter f/rec. " 4.95 DM-33/24 volt dynamotor f/trans. " 3.95 Spin tuning knob for receivers. MC-211 right angle drive f/rec. 1.00 MC-215 Remote tuning shaft FT-225 Modulator mounting Schematics for Rec. Trans. Mod.ea. 1.00

MD-7 MODULATOR SIMILAR TO BC-456 BNLY PUSH-PULL 1625'S NEW \$7.95

## BAND RECEIVER

AIRCRAFT BROADCAST MARINE FOREIGN MOBILE

40 - 75 - 80 & 160 METERS





MANY ARB/CRV 46151 -- 190 to 9050 EC - Four Bund, 6 Tube Superhst - Local & remote tuning and band change; illuminated dial, sharp & bread tuning; AVC, CW, provisions for operation of DU-1 Loop. Complete with Tubes: 1/1287, 1/1287, & 24 Volt Dynamotor. Sixe: 8 x 7 x 16" - Used: \$ 18.95

ABOVE - Converted to 12 Volt, with Dynamotor (No electric band change)..... \$ 24.95

Conversion for 115 V 60 cycle with Spin Dial, Phone Jack, CW, Volume Control, On & Off Switch (All on front panel) - KIT of Parts with Instructions.... § 10.00

Conversion as Above - for 12 Velt DC - KIT of Parts, with Dynamotor..... \$ 10.00

ARB RECEIVER converted to 110 wolt 60 cycle or 12 wolt DC with all controls on front panel. No electric band change

Specify 110 volt 60 cycle or 12 Volts DC


Remote control bex Remote tuning head \$2.00 Remote tuning shaft \$1.50 Local control tuning knob \$1.00 T-Shaft adapter for remote \$1,50 & local tuning. Connector Plugs each \$1.00



DU-1 LOOP ANTENNA For use with ARB for direction finding in Aircraft & Marine bands. All tuning com trols on unit. Obtains voltage from set. NEW \$16.95 Connector plug \$1.00

MINIMUM

AC BEACON RANGE RECEIVER



SEE PAGE 2 FOR ORDERING INSTRUCTIONS





BC-1206 AIRCRAFT BEACON RECEIVER covering frequency 200 to 400 KC. Operates from 24 volts DC for filaments & plates. 135 KC. IF. Five tubes 2/14H7,1/14J7,1/14H7 & 128D7. Size 4 x 4 x 61, WT. 4 lbs.

Price Unused complete with tubes \$9.95 Less tubes \$4.95 Price used

BC-1206 AIRCRAFT HEACON RECEIVER same as above mounted in Gray Hammertone Cabinat shown above, with power supply for 110 velt 60 cycle operation with 4" FM speaker,

Price with new receiver \$27.95 Used receiver \$22.95

Dynamotor to operate receiver from 12 VDC suppling the 24 VDC 2 amps. Size2½x4x7, Wt. 9 lbs. W/instruction \$4.05



R-4/ARR-2 RECEIVER

UHF receiver covering the frequency 234 to 258 MC tuneable & 540 to 830 & 740 to 1030 KC. fixed freq. Tubes used 3/64K5,7/9001 & 1/12A6. Voltage required 250 VDC 60 MA & 2k VDC. Size 5 x 5 x 11 WT 6 1bs. Mounting same as Gozzasts. NEW \$6.95



POWER SUPPLY USED W/BC-669 A,B,C RECEIVER-TRANSMITTER SUPPLIES ALL THE VOLTAGES. INPUT: 115 VOLT 60 CYCLE OUTPUT: 520 VDC 420 MA 275 " 64 MA 13.6 AC 4.6 AI SIZE: 20±x9±x12 WT: 90 STK# 3H4497-110 PRICE RE-NEW \$59.50 4.6 AMP VT: 90 LBS TRANSMITTERS - RECEIVERS



BC-229/429

#### BC-230/430 TRANSMITTER

Transmitter approx. 10 watts Voice and 20 watts CW in the freq range of 2500 to 7700 KC by use of plug in colls. Uses tubes 2/107, 2/45. Output meter 2" O to 1.5 RF. MO control on front panel. Voltage required approx 300 VDC for plates & 12VDC for BC-230 & 24 VDC for BC-430. Size 13"x8"x 7". WT. 102 lbs.

Price with tubes, plug in coils & schematic, Unused \$8.95

#### BC-229/429 RECEIVER

Receiver TRF ,uses plug in coils to cover the freq. range of 201 to 398 & 2500 to 7700 KC. Six tubes 1/37,1/38,4/39. Voltage required 220 VDC to 275 VDC 80 MA. & 12 VDC for BC-229 & 24VDC for BC-429. Size 16 x 8 x 7. WT 12 lbs. Price with tubes,,plug in coils & shematic, Unused \$6.95

BD-83 Dynamotor 12 VDC to operate Rec & Trans. Unused \$6.95 ADDITIONAL EQUIPMENT

Control Box BC-231 F/ receiver or BC-232 F/ trans. each \$1.00 Connector plugs for rec, trans., dynamotor or boxes, Schematic showing rec, trans, boxes etc. Tuning knob for Receiver local control \$1.00 Remote tuning head for receiver
Remote tuning shaft for receiver, specify length
Separate coils for receiver, specify freq. coverage
2500-4000, 4000-7700, 201-398. \$2.00 \$1.75 Separate coils for transmitter, specify freq coverage. 2500-3200, 3200-4000,4000-5000,5000-6200,6200-7700.
Mountings for Rec., Trans, Dyn., Each mounting

### BC-375 TRANSMITTER BC-191

TRANSMITTER AM 100 Watt CW - MCW - Voice, Freq-uency coverage 200 -500 KC & 1500 - 12,500 KC. by use of plug in tuning units listed below. Tube line up 1/10Y & 4/VT-4C (211). Complete with tubes, less tuning units. Requires 12VDC for BC-191 & 24 VDC for BC-375 filaments & relay. 1000 VDC 350 MA. plates. Meters 2" for reading 0-8 RF,0-500 MA,&0-15 DC. With schematics.



\$1.50

BC-191/12 volt Used 24.95 New \$34.95 BC-375/24 volt Used \$29.95

TUNING UNITS for BC-191 & BC-375

TU-6 3 to 4.5 MC
TU-7 4.5 to 6.2 MC
TU-8 6.2 to 7.7 MC
TU-9 7.7 to 10 MC
TU-10 10 to 12.5 MC not availabl not availabl 2.95 3.95 not available 2.95 3.95 Price of tuning units 4.95 less case. With case 4.95 \$.50 addittional. BC-306 Antenna Tuner 3.95

OYNAMOTORS: ED-77/12V f/BC-191 Used \$9.95: PE-73/24V NEW \$12.95
PIUGS for transmitter or dynamotor ;each plug \$1.00
Cables with PI-61, PI-64 or PI-59 ea end. Each cable \$2.75

RA-34 POWER SUPPLY for BC-191 115/230 volt 60 cycle input output supplies all the voltages for operation. Used  $^{89}.50$ 

RAX-1 UNIT#1 200 To 1500 KC

Four band receiver with Large 43" DIAL, AVC , CW & VOLUME CONTROLS ALSO PHONE PLUG & DIRECT TUNING


ALSO PHONE PLUG & DIRECT TOWNED
ALL ON FRONT PANEL. TUBE LINE-UP
3/12SK7, 1/12K8, 1/12SR7, 1/12A6. IF FREQUENCY 160 KC.
VOLTAGE REQUIRED 24 VDC & 200 VDC 80 MA.NO TOP COVEL
SIZE 72×74×16 WT: 15 LBS.
PRICE USED \$18.95



SCR-522

100-156 MC. RECEIVER-TRANSMITTER

SCR-522 RECEIVER-TRANSMITTER AM, 4 channel crystal control 30 watt output, 18 tubes: Trans; 1/6587, 3/12A6, 1/666, 2/832; Rec; 1/9002 1/9003, 3/12A6, 2/12AF7, 1/12C6, 1/12H6 & 3/12SG7, Complete with tubes, schematic and conversion information for 2 meters. USED \$29.95




BC-602 Control Box-NEW \$1.95 AN-104 Antenna NEW \$1.95 JB-29 Junction box

3.0

PE-98 DYN. 12 volt Used PE-94Dyn. 24 " " \$9.95 4.95 New

Battery to dynamotor PL-Q-172 plug Junction Box JB-115 with cable & plugs PL PL-Q-171, FL-Q-199 60" long NEW 4.95 PLUGS only any of those rquired each plug \$1.00

RA-62 AC Power Supply 115/230 F/SCR-522 UNUSED \$59.50



Receive Radio Signals being transmitted by the U. S. Satellite — on approx.

108 MC. This Receiver is AM and Crystal Control on Six preset frequencies in the 108.3 to 410.3 MC range. Provides audio and band pass filter output of 90 and 150 cycles for aircraft instrument landing for which it was originally used. Complete with Ten Tubes: 1/12AH7, 2/12SG7, 2/12SG7, 1/12SG7, 3/747, 1/12A6, Crystals and Schematic. Veltage required: 12 or 24 VDC & 220 VDC 80 MA. Sise: 13-3/8" x 5" x 7". Also can be converted to FM Receiver 80 to 108 MC.

INSED \$4.95 INMISED \$7.95 FC-222 Control Roy.

USED \$4.95 UNUSED \$7.95 BC-732 Control Box....\$ 2.00 I-101 Crosspoint Indicators, Cracked Glass.. \$ 1.50

PLUGS f/Receiver (2), Control Box (1), or Indicator (1) ..... Each Plug: \$ 1.00
DM-53 - 24 Volt Dynamotor - Used...... \$ 2.95
DM-53AZ - 12 Volt Dynamotor - WEW \$4.95 AS-27 RAMS HORN ANTENNA Used \$2.95

## LORAN R-65/AFN-9 RECEIVER & INDICATOR

The LORAN system as used in both ships & AIRCRAFT. Provides accurate means of deter mining position by the reception of radio signals from stations of known location.

The system operates entirely by radio and does not depend on celestial oberswations there provides a fix when all other method of navigation are rendered useless. Requires 24 VDC & 80-115 volt 800 cycle. Used less tubes & Magnifying lens ..\$29.50
Used with tubes & Magnifying lens \$69.50

RT-18/ARC-1 RECEIVER - TRANSMITTER Aircraft Radio Receiver & franchillshirter; 100 to 156 MC. AM on 10 preset crystal controlled channels, 30 watt CW & phone operation. Uses 29 tubes, 18/6AK5, 2/6C4, 2/6V6, 2/6J6, 2/12A6, 2/832 & 1/12SLT. Voltage required 24VDC & 360 VDC 135 MA. Complet with DT-9 24 volt dynamotor 7 tubes. Size 21½x10½x7½ WT. 40 lbs. Price Used...\$59.50



RA - 10 RECEIVER
HENDIX RECEIVER for Marine & Aircraft use. AVC, MVC & CW control. Crystal phasing four band operation. Seven tubes 3/65K7,1/6K7,1/6C5 & 1/6K6 & 1/6KB. Select frequoverage you desire. Separate MR-9 control box for re-

mote use or control box can be mounted to side on on front panel of set. Voltage required 12 Or 24 VDC & 220 VDC 100 MA. Complete with dynamotor, tubes, control box, tuning shaft & pluga RA-10 DA/DB 150 to 10100 KC & 2 to 10 MC, 24 V dyn. Used \$29,95 RA-10 FA/FB 150 to 400 KC & 2 to 10 MC, 24 V DYN. Used \$29,95

Transmitter. Can be used for a transmitter foundation unit to make a 25-40 watt transcontains 2/100 mmfd variable condensers & 1/40 mmfd.Also crystal holder, colls, knobs switches etc. TU-49 Tuning Unit 3.2 to 4 MC.

USED \$1.95 Plug in oscillator unit as used in BC-610



## Receivers

160 to 211 MC.

IFF set used in Aircraft for Foe or Friend indentification. Has 13 tubes 3/616,3/7193,7/65H7, 18 volt dynamotor with gear train & blower train and the set of th also voltage regulator, relays, resistors, condensers atc.

USED \$3,95

#### RT-1/APN-2 RECEIVER-TRANSMITTER

Radar inentification set used in Aircraft in conjunction with Radar equipment in planes and on land. Can be set on three preset frequencies in the 150 to 220 MC. reage for rec. & sending pulse signals. Has 17 tubes 1/65N7,1/6V6 1/955,3/956,1/2026,1/2X2,1/5U4G,6/6AC7,1/6H6,1/6SL7 also 24 volt o/oat/a,/onc,1/obl/ also 24 voit blower; ocaxial connectors, resist-ors, condensers and 400cycle 115 volt power supply.No schematics. Size 12 x 13 x9 WT. 40 lbs. Price \$7.95 Unused



- mg. 1

#### COMPASS & COMMUNICATION RECEIVER

MN-26 LB COVERS THE FREQUENCY RANGE 200-410 KC,550-1200 KC & 2.9-6.0 MC. USED IN AIRCRAFT AS A DIRECTION FINDER BUT CAN BE USED IN BOATS OR MAKE A GOOD HOME RECEIVER. OPERATES FROM 24 VDC. COMPLETE WITH DYNAMOTOR & TUBES 5/6K7,2/6N7,1/6L7,2/6B8 & 1/6F6 SIZE:12x62x162,WT: 40 LBS.
PRICE: USED \$12.95

## BC-312 RECEIVER

Fel 4

This is a real rugged receiver as it was used by the ARMY in Tanks & Trucks. It is six band super and covers the freq. range 1.5 to 18 MC., has CW-Osc, crys tal phasing, audio gain cotrols etc. Large dial with speed & ver nier tuning. Nine tubes 2/605,4/6K7,1/6F6,1/6L7,1/6R7. IF Freq. 470 KC.Also phone & mic jacks. Voltage required 12VDC & 230VDC 90 MA.

FT-162 MOUNTING.....\$2.50 Control Cable & Plug 2.75 Control Cable & Plug



Size 18 x 9½ x 9" Price Used \$59.50 RA-20 AC Power Supply U. \$12.95 DM-21/12 volt DYN. Used 5.95

#### BC-348 RECEIVER



FT-154 Mounting.. Used....\$2.50 PI-103 Plug....."....

Aircraft Receiver used with BC-375, ART-13 Transmitters etc.Frequenct range 200 to 500 KC. & 1.5 to 18 MC. in 6 bands. AVC, MVC, CW, Crystal phasing, Antenna Align, Beat Osc. & Audio Gain, Controls. Speed & vernier tuning & output Jacks. Eight tubes, types vary with letter of issue. Voltage required 24 volt & 220 VDC 70 MA. Size 18 x 10 x 9 2. WT. 38 lbs. Price W/24 V. Dyn. USED .... \$89.50 Converted to AC 89.50



PLUGS INTO REAR OF SET & HAS METERING SWITCH & JAC JACKS FOR ATTRCHING METER FOR MEASURING VARIOUS VOL TAGES & MAKING ALIGNMENT. COMPLETE W/6FT BATT. LEAD



WILLARD PLASTIC STORAGE BATTERY 2 VOLT 28 AMP HOUR, NON-SPILL-ABLE, BALL INDIC ATOR TYPE, DRY CHARGE. JUST ADD ELECTROLYTE

\$1ZE 4x5x3

## ART-13 CFI-MCW ASSY

CALIBRATION FREQUENCY INDICATOR & MCW OSCILLATOR USED TO PROVIDE A CONSTANT CRYSTAL CONTROLLED STANDARD OF 50KC IN ORDER THAT A OSof DUKC IN ORDER THAT A OS-CILLATOR OR CARRIER FREQ. CANBE CHECKED AGAINST IT. ALSO PROVIDES A [000 CYCLE TONE FOR MCW OPERATION. WITH 200KC CRYSTAL & 3 TUBE SIZE:6x5x3½ WT: 3 LBs. PRICE USED \$6.95



ART-13 AUDIO SPEECH **AMPLIFIER** 

Unit contains tubes 2/6V6, I/12SJ7 Carbon or Dynamic microphone can be used. Size:7x4x32 WT: 4 Les STK#2C254 Price: \$5.95

### COAXIAL CABLE LESS THAN 3c Per Ft.!



RG-54A/U CABLE\_

Designed for Long Life & constant attenuation, 58 ohms .250 od with Polyethy-JACKET.

370 FOOT ROLL \$10.95 70 " 99 \$1.95 RUNNING FOOT \$.03

RG-8/U 50 FOOT LENGHTS WITH PL-259 CONNECTOR EACH END. PRICE: \$3.95

## NE COAXIAL CONNECTORS



s0-239 M-359

\$.45 \$.25 \$.45
EACH EACH EACH
10 OR 5 FOR 10 DI
MORE \$.39 \$1.00 MORE \$.37
TYPES MAYBE ASSORTED TO
OBTAIN THE LOW PRICE. \$.45 EACH

#### COAXIAL ATTENUATOR

I MPEDAN CE MATCHING
CABLE 52 OHM
20" LONG WITH
2/PL-259 CONNEC ATTENUATOR HAVE 3" SLIDE! ADJUSTMENT WITH FEED-THRU COAXIAL CONNECTOR EACH END. ATTENUATION 30DB TO 100 DB 30 TO 450 MC. STK#2Z396-7 PRICE: USED \$1.25 NEW \$1.95

## CABLES & CORD SETS

CD-501 Cord 1/BC-654 TCS Cable Receiver to P.S TCS Cable Trans. to P.S. BC-375/191 PL-64 ea. end. BC-375/191 PL-61 ea. end. BC-375/191 PL-59 ea. end. SCR-183 Cable PL-63 ea.end. " " PL-65 ea. "
" " PL-62 ea. " CD-1086 Cable F/BC-1306 CD-509 Cord F/BC-659-620 Battery Cable 2/#12 9½FT. .75
Batt. Cable 1#8 Shielded 8' .75

FLEXIBLE TUNING SHAFTS MC-215 For Small Spline MC-124 For Large Spline Specify length we will ship closeiest length in stock MC-203 "T" ADAPTER

for large splined shafts. Price.. \$1.00 MC-211 RIGHT ANGLE small splineshaft

Price..\$.50 SPERTI VACUUM SWITCH AS USED IN ART-13 TRANSMITTER KEYING RELAY DESCIBED BELOW, SPDT STK#3Z9847-4.5 PRICE \$1 50

ART-13 KEYING RELAY 3 S.P.S.T NORMALLY OPEN I S.P.S.T NORMALLY CLOSED 2 S.P.D.T & 1 S.P.D.T VACUUM SWITCH; OPERATING VOLT-AGE 28 VDC, 2 COILS EA. 27 OH

COILS EA. 27 OHMS SERIES. STK.# 227595-7 PRICE \$6.95

# Headsets—Telephone Equipment—Microphones—Handsets





H-16/U Headset New \$2.95 Used \$1.95 HS-33 HEADSET

LOW IMPENDANCE

NEW \$7.95 USED \$4.95

H-63/U HEADSET & BOOM MICROPHONE Consists of two series 300 Ohm receiver & a 100 Uhm car microphone mounted boom. Two 14" cords terminate in 2 & 3 pin jacks. Used

HS - 30 HEADSET, magnetic, 250 ohms. hearing aid type, rubber ear pieces fit inside the ear. light weight headband & cord 9" long with spade lugs. see below for extension cords)

Price New \$ 1.50

H-16/U Headset 8000 ohms. Rubber inserts similar to headset HS-30, with ear cups to exclude noise. Cord 11" terminating into PL-54 short phone plug. (CD-307 extension cord used with this item)

Price

New \$2.95 Used \$1.95



CD-307 CORD; extension for CD-604, 65" long, JK-26 or one end to receive PL-54. Other end standard PL-55 phone plug.

Price New \$.79 Used \$ .50

CD- 605 CORD same as CD-604 Only with PL-55 Plug instead of PL-54 and this cord is 30" long.

CD- 604 Cord with transformer for attaching HS-30 headset and metching output to 4000 ohm line.Cord 6" long with a PL-54 Plug on the other end. (PL-54 is a short 2 circuit PL-55 Phone plug.

Price New \$.50

Used \$.25

### MC-385 HIGH to LOW

IMPEDANCE ADAPTER FOR HEADSETS. USED \$.65 NEW \$.95





BRUSH CRYSTAL HEADPHONE ELEMENTS WITH RUBBER EARPADS

2 INCH DIA. BRUSH#BJ F6#2 PRICE: \$1.00 EACH





LESS PHONE

DOUBLE WIRE HEADBAND WITH ONE EAR PIECE PAD ON OTHER SIDE.



T-45 Lip Miorophone 100 ohm, carbon, 50DB below one militolt per bar across 200 cycle per sec. substantially flat freq.response,undirectuonal.With Pl-291 two contact male plug on 11" cord.

New \$1.50

Used \$1.00

Used \$ .50

T-30 Throat Microphone same as T-45 only 75 ohms.

Price New \$ .75

CD-318 CORD: Extension for T-45 & T-30 microph-ones With PL-291 female 2 contact plug, SW-141 switch & PL-68 Mic jack on 7 foot cord. Price

PL-55 PHONE PLUG on 4 FT. CORD PRICE NEW \$.55 PL-68 MICROPHONE PLUG on 4FT. CORD. PRICE NEW \$.65



EE-8 FIRID TELEPHONE: Can be used for private telephone system in home, factory, farm, garge etc. Operates from two flash-light batteries up to 17 miles. Uses two conductor whre for two or more phones. Magneto ringer for calling. With carring case & straps. Used checked \$12.95 Two for \$25.00 New units used cases \$16.95 2 for \$33.00

BD-89 SWITCHBOARD

Manually operated, combined mag-

Manually operated, combined mag-neto & battery, non-multiple, 20 magneto lines, 40 CB lines, 4 two way manual or dial drop end trunk CKT. 5 conference jacks, 3 outgoing line ckt., 2 thru line & 13 universal cord ckt. one pos tion, two panels.size 52"x22"x31"

Price New \$150.00 Record. \$100

#### BD-71 Switchboard

Portable 6 line hand ringing magneto type using flashlight batteries for operation. Repeating coils on two lines to permit simplexing, cuits. Can be used with any magneto type telephone such as EE-8, RM-29, EE-91 ED-89. Case size 18x12\frac{1}{2}x14, WT.60 lbs. Ideal for factory, camp, farm, Complete with Meadset & Chest Microphone.
Used \$14.95 NEW \$24.95

an.

CONTROL UNIT EM-53 - Used to operate radio equipment and provide remote control and inter-com. of such equipment by use of the RM-52 Unit

listed below. Up to 1/2 mile. Used 2 flashlight batt. Internal transformer has High-Low impedance Sw. and Sidetone. Also Mic. & Phone Jack & PL-55 & PL-68 Plugs. Used: \$ 2.95 — New: \$ 4.95

used as a separate telephone system. Uses & flashlight batt. Also can be used as a direct remote control for

radio equipment. Provides bias for Mic. & Sidetone to headset. High or Low imp., Mic. & Phone Jacks. Can be used also as a Phone Patch Unit. Used: \$ 1.95

REMOTE CONTROL RM-52 -- Can be used with RM-53 or



SWITCHBOARD Same as HD-71 except has 12 lines RE-NEW \$24.95

> MACY'S PHONE

UNIT

Used \$1.00 New \$1.75

switch. New \$3.95
TS-13 Handset with Y cord PL-68 Mic. & PL-55 Phone plugs. Used \$2.95 Umused \$3.95 Used \$2.95 Umused \$3.95 W/butterfly switch Handset No Plugs with butterfly switch & Used \$2.95 New \$3.95

Handset Hanger rubber covered as illustra-\$1.50 each 3/\$4.00

H-22/U HANDSET with retractable Y cord, PL-68 Mic.& PL-55 Phone Plugs. Butterfly

> T-26 MICROPHONE F-1 Carbon w/ switch, chest straps & 8 FT. push switch cable.



Used \$3.95 New 6.95

## CARBON MICROPHONE CM-1-SC

Mobile type 85 Ohms DC Response: 200-4000C.P.S. Bypasses for R.F.
DPST push to talk switch
normally open.
4 ft. cord no plug \$6.95
with PL-68 plug 9.95

T-56 SOUND POWERED
MICROPHONE 225 OHMS
PART OF SOUND LOCATING SET GR-6A. HAS SPIKE

MON DIRECTIONAL PART OF MIC. FOR PUBHING INTO GROUND.SIZE: 32x22 SPIKE 6" WT 12 STK#281656 PRICE! RE-NEW \$1.25

TELEPHONE WIRE Two conductor for outdoor use # W-110B .012 per FT.2500FT \$19.95 WT-LA 3 conductor outdoor 135 ft lenght only \$1.00 W-130B Plastic or rubber covered combat wire.





Consist of H-22 handset in waterproof

box.35 FT. 7 cond. rubber cable, 10ft, flexible conduit, 3 waterproof switches, 2 bulls eye lights, large roll tape, jacks, terminals etc. Wt. 60 lbs.
COMPACT FIELD TELEPHONE UNIT

lightweight unit (only 7 lbs) in aluminum case & small handset. Hand ringer for bell &

flashlight cells for operation up to 15 miles.Centrol unit# C-433, Handset#H-33

Price Each \$9.95 Two Units \$18.95



COLLED CORDS FOR MICROPHONES, TEL EPHONES HANDSETS, SPEAKERS ETC.
THREE CONDUCTOR 24" TO 72" \$.75
THREE CONDUCTOR 12" TO 36" .50 TEL.



TS-12/AP
PUSH BUTTON
HANDSET FOUR
WIRE CORD NO
PLUG. W.E. FELEMENT.
RE-NEW
\$8.95



RM-29

REMOTE CONTROL UNIT Used for control of radic & telephone equipment from a single position. Two or mare units make a private telephone system. Operates from flashlight & dry battery.Hand ringer for call.Good up to 15 mi RM-29 only New \$6.95 RM-29 only New \$6.95 RM-29 With Handset 8.95



STANDARD TYPE
TELEPHONE HANDSET
& BELL RINGERS
CAN BE USED AND ANY COMMER GIAL TELEPHONE LINE OR OR SYSTEMS ON THIS PRICE:\$4.95

EX-CONDITION PAGE.



STANDARD HANDSET & CORD

TELEPHONE BOX EE-91, Wall type can be used with any hand ringer magneto type telephon Contains four horseshoe magnets, bell etc. EE-91 Box only \$4.95 with handset \$6.95



EX-CONDITION



#### MOBILE CONTROL BOX

CONTROL BOX FOR MOBILE EQUIPMENT with 20-0-20 DC amp meter 2", on an EQUIPMENT with 20-0-20 DC amp meter 2", on and off switch, mic & phone jack, pilot light, 10 foot of battery cable, 6 foot of control cable terminating into a amphenol male octal connector. Control box size 4½" x 5"x 3" (Shown on left) NEW \$5.95 NEW \$5.95

CABLE & MOUNTING PLATE ONLY with on-off switch pilot light, mic jack & 6 foot of 8 conductor cable. (Shown on right) New



REMOTE CONTROL UNIT FOR BC-669

CONTROL BOX with handset hanger, volume control, 3 momentary mwitches, 10 contact connector and plug for handset.

NEW \$ 3.95

CONTROL UNIT C-87/ART-13

TRANSMITTER CONTROL WITH 11 channel switch, off voice CW-MCW switch, indicator light, mic jack & code signal key.

NEW \$2.95

## DUAL RADIO SET

BC-658 C SWITCH BOX for controlling two radio sets. Has two sets of cords with PL-68 & FL-55 Flugs 48" long. Water proof, phone & mic jacks and 5PDT Switch.

NEW \$1.95





BC-1366 BC-345

ANTENNA CHANGE OVER RELAY ROTARY TYPE RELAY 14 VOLT WITH 6 CONTACT WAFER SWITCH 2 SO-239 CGAX. CONNECTORS 2 BINDING POSTS & PLUG. SIZE: 4x4x2 WT: 12 LB. STK#RE-1A/ARR-1 \$1.50

BC-1366 CONTROL BOX consists of 5 position retary switch, volume control & microphone & phone Jacks Price: \$.75

BC-345 CONTROL BOX WITH 3 POSITION SWITCH MECROPHONE & PHONE JACKS.
PRICE: \$.50



Beam Filter

RANGE BEAM FILTER 1020 CYCL ACCEPTANCE OR REJECTION. FL-8 AAF TYPE USED \$1.95 NAVY TYPE WITH PL-55 \$1.95 " LESS " " 1.50 TL-150 TUNNING WAND

FOR BC-659.BC-620 \$.75

Loading Coil C-114 -\$1.50



PHOME PATCH TRANSFORMER C-161 -\$1.50





COUNTER DIAL

VERNIER COUNTER DIAL 10 to 1 ratio outer dial 10 to 1 ratio outer diagrams of the calibrated 0 to 100, inside dial 0 to 10.
Size: 3" x 3½" x 3".
Price: NEW \$1.95

#### WOBULATOR MAGNET

A electro-mechanical sweep generator capaci-tor as used in precision instruments for freq. shifting. Contains two inch Alnico Magnet. Removed from APN-1 \$1.00

M-3727 AERIAL TRANSFER UNIT with three push type terminals for connecting antenna to Receiver, transmitter & swtiching from one to the other manually.

Price \$.75





NATIONAL DIAL
Type N Precision 4" Dial with
6-100 scale left to right.Planetary vernier drive & decimal scale.Drive fits \( \frac{1}{4} \)" shaft.

National 4" Dial \( \frac{2}{2}.75 \)

ANTENNA MATCHER
Variable inductance tuner for natching transmitter load to antanna 100 watt capacity, also cal-prated verveir lock dial or meter. Size 72x32. Re-f/equip. INDUCTANCE TUNER ONLY....\$5.95 TUNER, IND & DIAL TUNER, DIAL, METER, Panel 9.95



C-30/ARC-5 BC-451 BC-136/2 C-30/ARC-5 CONTROL BOX with 7 push button switches marked A, B, ,OFF, 1&2. Also tone, CW & voice switch & connectors.

Price...\$2.95 BC-451 CONTROL BOX with switches tone-CW-voice, on-off, 1/2/3/4 also code key, mic & phone jacks. used #.75 Price New \$1.50

BC-136-2 Control unit with mic & phone jacks , volume control & two binding post. \$.35 each Four for \$1.00





BC-434A RADIO COMPASS Rel Bex. Three Bands 200-1750 Dial,2" Tuning Meter, GRAIN OF WHEAT LAMPS, KNOBS CONTOLS ETS. TAKES MC-124 FLEXIBLE SHAFT. SIZE 7X7X2 WT: 3LBS. PRICE USED \$3.95 BC-434F SAME AS ABOVE 2.95 C-4/ARN-7 SAME AS ABOVE ONLY HAS 4 BANDS. USED \$4.95 NEW: \$7.95 FT-224 MOUNTING BACKS FOR ABOVE BOXES, USED \$1.00 COAXIAL ANTENNA CHANGE OVER RELAY WITH 3 SO-239 CONNEC-

RELAY WITH 3 SO-239 CONNECTORS. RELAY IS WIRED FOR 24 VDC BUT HAS TAPPED COILS FOR CHANGING TO 12VDC.

SIZE:3X32x2 WT: | LB,
STK#RE-13/ARA-8 PRICE.\$4.95





BC-1156 AZON CONTROL BOX used for remote control equioment. Has 4 position stick switch controling micro switches marked up/down/right/left also lever SW. advance/reset & on/off SW & volume control & phone jack. Size 5x5x32 WT. 3 lbs.\$1.95

BC-1361 SWITCHBOX with 4PST & SPST momentary switches, l"jewel light & two cable connectors. Size 4x32x2 WT.2 lbs \$1.00







SA-1/ARN-1 ID-14/APN-1 I-75-A

SA-1/ARN-1 Alititude Limit Switch. Switching unit with 15 resistors, 3" scale calibrated 50 to 300 can be used for resistor decade box. \$1.00

ID-14/APN-1 Radio Altitude meter 0-1 MA. movement, 3" scale can be used as tuning meter or \$1.50

I-75-A Indicator 5",0-360 cal-ibration. Same as I-82 radio compass indicator except oper-ates mechaincly instead of electricly.Has two splined male connectors,\$1.00



I-82A RADIO COMPASS INDICATOR AS USED IN AIRCRAFT WITH R-5/ARN-7, BC-433G ETC HAS 360 DEGREE DIAL & AUTOSYN MOTOR. NEW \$3.95

AUTOTUNE HEAD FOR ATC/ART-ADJUDITE HEAD FOR ALCYALITY IN THE UNIT WITH DIAL 0-100, KNOB, REVOLUTION COUNTER, LOCKING DEVICE FOR PRESETTING.
CONTROL "B". COL#23518
PRICE: \$1.95





SPEAKER DRIVER UNIT UNIVERSITY # SA-30B, 25 W 15 0HM, RESPONSE 90 -9000 CYCLES. STANDARD 24 THREAD X 13/8 MOUNTING NIPPLE. SIZE: 5 X 41. WT. 4 LBS.

50-60 WATT SPEAKER UNIT WESTERN LLECTRIC SPEAKER
UNIT FOR BAFFLEBOARD OR
HORN. MPEDANCE 13 OHM RESPONSE TO 7000 CPS.BLAST &
SHOCK PROOF. 5LB ALINCO,
MAGNET, THROAT OPENING 138"
SIZE: 6x6x44; WT: 14 LBS.
PRICE: \$8,95

SPEAKER R-14 1000 ohm ear pc. in 3" case & PL-55 phone plug & cord.
Wine Detector Resonator. Price \$1.00





ver.Covers FM freq 27 to 38 MC. Contains ,ANTENNA, RF, OSC & IF coils slug tuned also necessary trimers, condensers, resistors etc Dial 1½ " & small 3/4" dial. & loc A good front end for a converter. Stock #8C4923A/T8 Price \$1.95



TUNER ASSEMBLY for 2 to 6 MC. Part of BC-728 RECEIVER, which consists of four channel push button assy. with RF, ANT, & OSC. coils all slug tuned. Also cond. resistors etc. Size 4 x 4 x 3"11b Stock#2C4728/T4. Price \$1.50

DETONATOR IMPACT SWITCH with two micro switches that make contact when the unit is jarred. Used in When the defonate bombs when wrecked.Size 5x4x4. WT.1 lbs. Stock # BC-706 Price \$.50



VERNIER DIAL 22" 100 to 0 scale. TAKES 2" SHAFT. PRICE: \$1.50



MEISSNER SIGNAL PLUG-IN COIL-SET

Oscillator Plate, Grid & Doubler Coils. Four, Five & Six prong. Set of three coils. Stock#362500-56 Price \$.75





## BC-347 AIRCRAFT INTERPHONE AMPLIFIER

Used in small planes for speaking. Has two ouncer transformers Carbon mivrophone input & standard headset output. Requires 12 Or 24 volt & 250VDC.Uses 6F8G tube.Size3x2x5 WT 3lbs. With tube \$1.95 Less tube \$1.25 BC-216 MICROPHONE AMPLIFIER

Aircraft type amplifier use tubes 1/39/44 & 1/6F7.Two carbon microphone inputs.Voltage required 12 volts & 150VDC 40 Ma.Size  $8\frac{1}{2}$  x  $6\frac{1}{2}$  x 2. WT. 3 lbs With tubes \$1.95Less tubes \$1.





EE-89 AMPLIFIER

TER & ELECTRONIC 1/305 TUBE THAT
12VDC & 90 VDC.
PHONE FOR LISTEN

REQUIRERS ALSO HAS PHONE ALSO HAS PHONE FOR LISTENING, VOLUME CONTROL ETC.
WILL MAKE A GOOD PHONE PATCH. SIZE 62x9x72, WT; [OLE:
PRICE: USE 2.95
BC-367/BC-667 AMPLIFIER

Audio Amplifier using 2/6V6GT tubes. Microphone carbon type input, output tapped for high & low inpedance. Audio signaling device.Voltage rquired 12/24 250 VDC 50 Ma. Size 9 x 9 x With tubes less dynamotor.

BC-367/12 volt less case \$1.95 BC-667/24 " with case 2.95 with case 2.95





BC-212 AMPLIFIER Aircraft type amplifier two tubes type 6J5. Easily convert-ed to home intercom set. Requires 12 volts for filaments or can be rewired to 6 volts. 115 volts DC for plates. Size 5 x 5 x 2 Wt. 2 lbs. New \$1.95

PERSONAL MUSIC BOX

Chrome Music box contains 5" speaker & coin timer motor. Timer motor operates from 24 V AC.Makes a real nice looking remote speaker anywhere. With DYNAMIC SPEAKER \$2.95

Transformer to operate timer \$1.95

TS-279 DUMNY ANTENNA LOAD



Three inch pyrex feed thru insulator,1000 ohm 100 watt resistor with two test lead clips . Cabinet size 13 x 6 x 4". Can be used for a chassis. Stock # TS-279

Price\$1.95

# **INVERTERS**



27.5 VDC 150 AMP. 115 VAC 2500 VA 400 CYC 1 PHASE INPUT: 400 cyc 1 Phase Stze: 15 x | 12 x 8 WT58 LBs. Royal Elec.P/N13-2500-3 Price: Unused \$24.95

45 AMP. 750 VA. 3 PHASE



Power Supply used in BC-342 RECeiver. Converts BC-312 RECEIVER to 115/230 volt. Output 230VDC 90 MA & 12VAC 2 AMPS. Size 3 x 5½ x 6 WT. 8 lbs.

PRICE: USED \$12.95



Selenium type rectifier use with teletype printers operates from 115/230 golts 50-60 cycle ouput 115 volts DC .400 amps & 110 volt - 60 cycle. Size 142 x 72 x 8 WT. 43 lbs.

USED \$5.95 NEW \$8.95



RA-62 AC POWER SUPPLY

Power Supply used with SCR-522 Transmitter-Receiver supplies all the necessary voltages.
INPUT: 115/230 60 Gycle
OUTPUT: 300 VDC 230 MA.
-150 VDC 8 MA.

13 VDC 3.9 AMPS.
Completly fused & filtered.
Size 16 x 11t x 11 Wt. 75 lbs. PRICE: UNUSED \$59.50



DYNAMOTOR Power Supply for TA - 12 TRANSMITTER Class " B " Modulation Maximum sig-

Complete with 2/867,1/6N6,1/6N7 tubes. Dynamotor 24 VDC input output 540 VDC 450 MA. NEW With 24 V Dynamotor \$14.95 CABLE & PIUG \$2.75



POWER SUPPLY COMMAND RECEIVERS

This power supply operates from 115 volt 60 cycle and is designed to supply all of the proper voltages for the operation of 27kN, ABC-5 & NAVY type receivers. IT has a 4" PM speaker, on-off, & CW switch also pilot light & volume control.NO CONVERSION IS NECESSARY to the set. Output voltages 24VAC 1 amp & 250 VDC 50 MA. May also be used for other type sets using the same voltages. Size 6 x 6 x 5 WT. 8 lbs.

Stock number PS-274N \$18.95

## VIBRATOR SUPPLY



HAS 2/6 VOLT VIBRATORS, 2/
TRANSFORMERS & 2/0Z4 TUBES.
INPUT 6 VDC, OUTPUT 540 VDC
150 MA. CAN BE TAPPED AT
270 VDC 150 MA. USED WITH
MOTOROLA TRANS. FMT-25.
SIZE: 9x6x5 WT: 10 LBS.NEW
STK#3H6694-5 PRICE: \$9.95



AC POWER SUPPLY BC-603

This unit opeates This unit operates from 115 volts 60 cycle and was designed to be us plug into the same place where the dynamotor did on the BC-603-683 receivers. No conversion to set is necessary expect for the installation of the on-off switch in the spare fuse holder. Unit is transformer type with 5Y3GT rectifier tube. CHASSIS is NOT HOT. Dynamotor can be used by removeing AC supply.

KIT of PARTS \$10.00 Wired \$14,95



RECTIFIER TYPE full wave supplies 24 volt DC l2 mmp. Can be used to operate small motors , relays, selenoids etc. from 115 volt 60 cycle. Mounts on board for easy construction. Kit consists of transform er, rectifier.line cord & cord with clips. With instructions Kit price \$6.95



NEA-3 AC & DC GENERATOR

OUTFUT: 115VAC 800 CTC.10.5 Amp 28VDC 60 AMP.@ 2400 RPM Spline shaft size: 7/8 x 1 3/4 Size: 6½ x 7½ x 13 WT. 44 lbs. UNUSED \$18.95

#### P1 GENERATOR

OUTPUT: 28.5 VDC 200 AMPS. 2500 to 4500 RPM.
Splined shaft size: 7/8 x 1 3/4
Size: 6 x 8 x 13½ WT. 44 lbs. Used: \$14.95

#### DM-21 DYNAMOTOR

INPUT: 14 VDC 3.3 A OUTPUT: 235 " 90 MA size: 6x52x3 wt: 72LB

USED \$5.95 NEW\$7.95



GENERATOR GAEN-211219C

OUTPUT: 12.5 VDC 4 AMPS. 240 VDC 100 MA. INPUT DRIVE: 3/16 HP. 3450 RPM. 3/8 x 14 MOTOR SIZE: 5 x 6 x 9 WT.25 lbs. Used: \$4.95 New \$6.95



SIZE 192 x 8 x 102 WT. 80 lbs. PU-7 INVERTER

INPUT: 28 VDC 160 AMPS. OUTPUT: 115 VAC 21.6 " 1 Phase 400 CYCLE. Used: 29.50 NEW # 49.50

#### PE-218 INVERTER

INPUT: INPUT: 24 VDC 80 AMPS. OUTPUT: 115 VAC 13 AMPS. 1 Phase 400 CYCLE. Used: \$9.95 Unused \$24.95 Size: 19 x 10 x 6 WT.60 1

## PU-16 INVERTER

INPUT: 28 VDC 60 AMPS. OUTPUT: 115 VAC 6.5 AMPS. 400 CYCLE 3 Phase Used: \$18.95 Size: 7 x 15 x 9 Wt. 38 lbs.

#### 5D21NJ3A INVERTER

INFUT: 27 VDC 35 AMPS.
OUTFUT: 115 VAC 2.17 AMPS.
400 CYCLE 1 Phase.
Used: \$14.95 Ummsed \$24.95
Size: 9 x 6½ x 5½ WT. 20 lbs.



INVERTER 800-1-A

WT. 35 lbs.

Size 42 x 8 x 12

115 VAC 800 CYCLE OUTPUT: 1 Phase 10.5 AMPS. NEW: 14.95



PE-237 POWER SUPPLI

6 VDC 27 AMPS. 13.2 12 VDC 24 VDC 525 VDC 90 MA. 105 VDC 42 MA. 6.5 VDC 6 VDC 2 AMPS. 500 MA. VDC 450 MA.

1.30 VDC 17 MA.
With tubes & vibrator.
Size 10 x 10 x 17 Wt.70 lbs.
USED \$14.95 RE-NEW \$19.95



PE-125 POWER SUPPLY VIBRATOR TYPE

IMPUT: 12 VDC 14.5 AMPS. 24 VDC 7.5 AMPS. OUTPUT: 500 VDC 160 MA. Size 12 x 9½ x 7½ WT. 46 lbs.



Power Supply PE-120

6 VDC TMPHT. 2.5 AMP. 12 VDC 24 VDC OUTPUT: 145 VDC 90 VDC AMP. 75 MA. 40 MA. 1.5 VDC Vibrator type voltage regulated complete with tubes OB-3/VR-105,1005 & Ballast. Also vibrator for 12 VDC. Size 42 x 134 x 152 WT.291bs Used \$4.95 RE-NEW \$7.95



VRC-2 DYNAMOTOR

INPUT: 5.5 VDC 31 AMPS OUTPUT: 600 VDC 175 MA size 7 x 4% x4% WT: 8 LBs STK.# 3H1514-5 PRICE RE-NEW \$7.95

PE-104 VIBRATOR POWER SUPPLY Used with BC-654 Rec-Trans. Output 84 VDC & 15VDC Input 6 VDC OR 12 VDC. WT.8 lbs size 4x4x7 Price Used \$9.95

Bendix Hand Crank Generator (Gibson Girl) Output 28 VDC @ 175 MA and 300 VDC @ 30 MA. When cranked at app. 60 RPM. Gear Ratio app. 72-1 with pilot light and codeing whee! Wt. 6 lb. 3 oz. Price.....\$4.95



Size: 5 x 8 x 12 Wt. 35 lbs. PE-98 DYNAMOTOR

14 VDC 21 AMPS 300 VDC 260 MA. 150 VDC 10 MA. INPUT: OUTPUT: USED \$9.95

#### PE-94 DYNAMOTOR

28 VDC 10.5 AMPS. 300 VDC 260 MA. 150 VDC 10 MA. INPUT: OUTPUT: 14.5 VDC Used \$4.95 Umused \$7.95



POWER SUPPLY

OUTPUT: 400 VDC 200 MA. 225 VDC 100 MA. Size: 72 x 7 x 13 WT. 28 lbs. RE-NEW \$12.95 USED \$9.95



Size 62 x 8 x 12 Wt. 30 lbs.

DY-12 DYNAMOTOR

INPUT: 27 VDC 32 AMPS OUTPUT: 400 VDC 750 MA. 750 VDC 350 MA. RE-NEW \$15.95 USED \$12.



UNIVERS

6 VDC 12 VDC 35 VDC 12 VDC 24 VDC 275 VDC

WITH INSTRUCTIONS FOR WIE TO LESS.
PRICE: UNUSER AND COMPANY OF THE CONTROL OF TH

HAND CRANK TYPE

Output 6VDC 3 Amp. Used with SCR-284

Complete with crank, legs & seat Used \$5.95 New \$9.95 Output cable & plug \$2.7

500 VDC

@ 60 RPM.



## **DYNAMOTORS**



Size 62 x 10 x 11 WT. 38 Lbs. With fuses and starting relay.

IMPUT: 14 VDC 39 AMPS.
CUTPUT: 1000 VDC 350 MA.
Used \$9.95 Unused \$14.95 PE-73 DYNAMOTOR

INPUT: 28 VDC 19 AMPS. OUTPUT: 1000 VDC 350 MA. Used \$9.95 Unused \$12.95

#### PE-59 DYNAMOTOR

INPUT: 14 VDC 28 AMPS. OUTPUT: 500 VDC 500 MA. USED \$6.95 UNUSED \$9.95



Size 7 x 7 x 11 WT. 38 lbs.

DY-96/DM-43 DYNAMOTOR INPUT: 28 VDC 23 AMP. OUTPUT: 515 VDC 215 MA 1030 " 260 " PRICE: NEW \$4.95



PE-103 DYNAMOTOR

Size 6 x 12 x 18 WT. 53 lbs. Mith filters, starting relays and battery cable. INPUT: 6 VDC 21 AMPS. INPUT: 12 VDC 11 AMPS. OUTPUT: 500VDC 160 MA. USED \$ 19.95

CD-501 CORD & PLUGS \$ 2.75



Size 32 x 32 x 7 WT.8 LBS G E 5DP-50VCZ DYNAMOTOR INPUT: 5.6 VDC 50 AMP OUTPUT: 640 VDC 265 MA. G E Reconditioned \$12.95

INPUT: 5.6 VDC 35 AMP OUTPUT: 420 VDC 260 MG. 6 E Reconditioned \$ 9.95

CAR SHAVER MOTOR



Size  $3 \times 3\frac{1}{4} \times 4\frac{1}{2}$ , Wt. 3 lbs. DM-32 DYNAMOTOR

INPUT: 28 VDC 1.1 AMPS.
OUTPUT: 250 VDC 60 MA.
Price: Used \$2.95 New \$4.95

## TYPE 35 x 032 (Same as DM-32 only 12V)

INPUT: 14 VDC 2.4 AMPS. OUTPUT: 250 VDC 60 MA. Price: New \$4.95

#### DM-53 AZ DYNAMOTOR

INPUT: 14 VDC 2.8 AMPS. OUTPUT: 220 VDC 80 MA. NEW \$4.95

#### DM-53 DYNAMOTOR

INPUT: 28 VDC 1.4 AMPS. OUTPUT: 220 VDC 80 MA. Price: Used \$3.95



Size 3 x 3 x 42, Wt. 3 lbs.

#### DM-45 DYNAMOTOR

INPUT: 24 VDC 1.1 AMPS.
OUTPUT: 250 VDC 50 MA.
Price: Used \$2.95 New \$4.95

#### DM-25 DYNAMOTOR

INPUT: 12 VDC 2.2 AMPS. OUTPUT: 250 VDC 50 MA. Price: Used \$2.95 New \$4.95



WEST. 12B6534 DYNAMOTOR

INPUT: 24 VDC 1.75 AMPS. OUTPUT: 300 VDC 70 MA. Price: Used \$2.95 New \$4.95

Size  $3 \times 3 \times 4\frac{1}{2}$ . Wt. 31bs. Dynamotors listed below same size only less base.

#### DM-6936 DYNAMOTOR

INFUT: 28 VDC 1.1 AMPS. OUTPUT: 250 VDC 60 MA.

#### DMX-310A DYNAMOTOR

INPUT: 12 VDC 2.8 AMPS. OUTPUT: 150 VDC 100 MA. Used \$2.95 Unused \$4.95

### TYPE 5047 DYNAMOTOR

OUTPUT: 285 VDC 75 MA.
Used \$3.95 Unmaed \$5.95


Converted dynamotor that will permit you to use you ELECTRIC RAZOR in your car providing it has a 6 volt DC electrical system. It will also operate any DC app-liance that requiers 115 VDC and not more than 15 watts. The motor is mounted where convient and the switch with the outlet plug is mounted under the dash.



Size 3 x 42 x 6t. Wt.5 lbs. DM-34 DYNAMOTOR

INPUT: 14 VDC 2.8 AMPS. OUTPUT: 220 VDC 80 MA. Used \$2.95 Umused \$4.95 DM-36 DYNAMOTOR

INPUT: 28 VDC 1.4 AMPS. OUTPUT: 220 VDC 80 MA. Used \$2.95 Unused \$4.95



Size 3\(\frac{1}{4}\) x 5 x 5\(\frac{1}{4}\), Wt.3\(\frac{1}{2}\) lbs. PE-86 DYNAMOTOR

INPUT: 28 VDC 1.25 AMPS. OUTPUT: 250 VDC 60 MA. PRICE: Used \$2.95 New \$4.95



Size 32 x 5 x 64. Wt.52 1bs. DM-28 DYNAMOTOR

INPUT: 27.9 VDC 1.25 AMP OUTPUT: 220 VDC 220 MA PRICE; USED \$3.95

#### DM-65 DYNAMOTOR

INPUT: 12.5 VDC 28 AMP OUTPUT: 440 " 400 MA SIZE: 8x4½x4½ WT: 13½ LB USED \$8.95 NEW 12.95



Size  $2\frac{1}{2} \times 3\frac{1}{2} \times 6\frac{1}{2}$ . Wt.5 lbs. DM-64 DYNAMOTOR

INPUT: 14 VDC 5.1 AMPS.

OUTPUT: 275 VDC 150 MA.

Price: New \$6.95



Size 4 x 42 x 7 Wt. 92 1bs.

#### D-401 DYNAMOTOR

INPUT: 12 VDC 9.9 AMPS. OUTPUT: 400 VDC 180 MA. Price: Used \$5.95 New \$8.95



Size 42 x 52 x 62. Wt.102 1bs. BD-83 DYNAMOTOR

INPUT: 14 VDC 6.5 AMPS.
OUTPUT: 375 VDC 150 MA.
Used \$4.95 Unused \$6.95

#### CW21441 DYNAMOTOR

INPUT: 28 VDC 2.9 AMP OUTPUT: 330 " 135 MA NEW \$3.95

#### DM-416 DYNAMOTOR

INPUT: 28 VDC 3.1 AMPS. OUTPUT: 330 VDC 470 MA. Used \$1.95 Unused \$3.95

#### BD-93 DYNAMOTOR

INPUT: 28 VDC 3.2 AMPS. OUTPUT: 375 VDC 150 MA. Used \$2.95 Umased \$4.95



Size 4 x 7 x 62 Wt. 102 1bs. PE-133 DYNAMOTOR

INPUT: 12 VDC 2.3 AMPS. OUTPUT: 230 VDC 90 MA. Used \$4.95 Umused \$6.95



Size 5 x 6 x 8 2. Wt.12 1bs. TYPE 377 DYNAMOTOR

IMPUT: 14 VDC 8 AMPS. OUTPUT: 425 VDC 163 MA. Used \$6.95 Unused \$9.95



Size 5½ x 3½ x 7. Wt.7 lbs. DM-40 DYNAMOTOR

INPUT: 14 VDC 3.4 AMPS. OUTPUT: 172 VDC 138 MA. Unused \$2.95



Size 42 x 42 x 82 Wt.13

DM-35 DYNAMOTOR

INPUT: 12.5 VDC 18.7 AMPS. OUTPUT: 625 VDC 225 MA.

USED:\$6.95 RE-NEW \$9.95

DM-37 DYNAMOTOR

INPUT: 25.5 VDC 9.2 AMPS. OUTPUT: 625 VDC 225 MA. Used \$2.95 Unused \$4.95

Total (

DA-12A DYNAMOTOR

INPUT: 12.5 VDC 29 Amps.
" 25 VDC 14.8 Amps.
OUTPUT: 540 VDC 450 MA.
Price: Used \$12.95 New \$14.95 DALF DYNAMOTOR

INPUT: 25 VDC 14.8 AMPS. OUTPUT: 540 VDC 450 MA. Price: Used \$3.95 New \$5.95

Size 4½ x 4½ x 8½ Wt. 13 Ibs.

DA-ILA Dynamotor
Same style as above
Input: 14 VDC 3.3 Amps.
" 28 VDC 1.6 "
Output: 230 VDC 100 Ma.
Used \$4.95 Unused \$6.95
Size 32 x 32 x 6 Wt. 42 lbs.

Size  $3\frac{1}{2} \times 3\frac{1}{2} \times 5\frac{1}{2}$ . Wt.5 lbs.

DAJA DYNAMOTOR

INPUT: 28 VDC 1.6 AMPS. OUTPUT: 230 VDC 100 MA. Price: Used \$2.95 New \$4.95

DA-14A Dynamotor

Used \$1.95 Unused \$3.95 Size 31 x 4 x 72 Wt. 82 lbs. DY-22 DYNAMOTOR

INPUT: 28 VDC 1.8 AMPS. OUTPUT: 210 VDC 125 MA. Price: Used \$4.95

Size 3tx32x62; Wt.51bs.

### D-402 DYNAMOTOR

INPUT: 12 VDC 3.8 AMPS. OUTPUT: 225 VDC 100 MA Price: Used \$4.95 New \$6.95

Size 34 x 4 x 52. Wt. 6 lbs.



#### DY-21 DYNAMOTOR

INPUT: 27 VDC 7 A OUTPUT: 410 " 325 MA. size: 72x3x32 wr:82 LB PRICE: USED \$7.95



INPUT: 18 VDC OUTPUT: 450 " INPUT: 18 VDC 3.5 Amp. OUTFUT: 450 " 80 MA. Size 4 x 4 m 6 WT. 6 lb. Shaft size \( \frac{1}{4} \times 1 \)
Price Less End Bells \$2.95 Price with one Bells 3.95 Price with Two Bells 4.95



4x1±x1± WT: 8oz.

DELCO PM MOTOR 250 RPM \$5067127
27 VDC WITH GEAR ATTACHED TO \$ SHAFT
REMOVEABLE MOUNTING, 8 OZ. INCH TORQUE
REMOVED FROM NEW EQUIPMENT.
PRICE \$4.95


GE SAME AS ABOVE NOT PM #5BA10AJ8D \$3.95



EMC 41314 110 VAC 60 cy, Induction Motor with Mounting feet, 1550 RPM thru a gear reduction to 24 RPM, Right Angle Drive, Size 4 X 3½ X 7 3/4. Shaft size 5/16 X 5/8 with removable Gear. Wt. 5 lb. 13 oz. Price...\$9.95



6 VOLT DC MOTOR 4000 RPM APPROX 1/20 HP.
3/8 SLOTTED SHAFT 3/8" LG. MOUNTING HOLES
ON ENDS. SIZE 42 LG. X 3 DIA. WT: 3 LBS.
STOCK # EH 10053 PRICE: \$1.50





6-12 VDC Open frame reversible Motor App. 4000 RPM with good Torque. Size 2½ X 2½ Shaft 1/8 X 3/8 with a small gear attached. Wt. 140z. Price....\$1.00


COMPUTER LEAD CHECKER
USED FOR CHECKING SELSYNS ON 3IS
SIGHT. HAS A DELCO PM MOTOR #506
9790 CONNECTED TO A 2" GEAR &
THEN TO A 12" GEAR. ALSO HAS A
8' RUUBER CORD WITH CENTER OFF SI
MTD. IN METAL BOX. MOTOR SIZE | X
41. GEAR TRAIN ASSY | X 5. TOTAL WT. 2 LBS.
GE#76AC-271305 FED#4920 342 9951 'PRICE: \$5.95



General Electric 58A25MJ424 - TypelBA
24 V @ 4.2A 7100 RPM 1/20 HP Flange
mount Motor size 2½" X 5". Shaft size
½ X 1 Wt. 3½ lbs. Price..... \$ 2.95



Air Associater EE1430M2 Spec.
No.KS5875L.01 Flange mount 27VDC
@ 20A. ½ HP 3800 RPM. Size 4¼
X 4¼ X 6 3/4 L. Keyed Shafts
½ X 1½ with gear attached.
Wt. 9 3/4 lb. Price... \$ 4.95






Oster No. E-1-1. 28VDC @ 3.3A. 5000RPM. 1/25 HP series Motor with 6" Aluminum flywheel. Has governor controlled speed. Shaft 5/16 X 1". Overall size of Motor 3 3/8 X 6½. 5 lb. 10 oz. Stock No. E-1-1



General Electric 5BA25AJ32B Flange type mount. 24 VDC @ 2.9A 7000 RPM'3 Wire reversible with Magnetic brake. Size 2½" X 4¼" L. Shaff 3/16 X 3/4 Splined Wt. 2¼ lbs. Price, Motor only.....



General Electric 58A2502300 Flange type mount 24 VDC @ 2A. 4600 RPM Governor controlled with Magnetic brake. Size 2\frac{1}{2}" D X 5 3/8" 1. Shaft 3/16" X 7/8". Splined Wt. 2\frac{1}{2} lbs. Price, Motor only.....\frac{2}{2}.95





Philico Gear reduction No. 441-1008 24VDC.
Output speed 3.7 RPM 40 lb. in Torque.
Size 4 X 3 3/4 X 5½. Shaft size 5/16 X
5/8. Wt. 3 lb. 12oz. Price......\$5.95

Windshield Wiper Motor 24VDC. Very powerful, May be used wherever an oscillation
motion is desired such as stirring or
agetation. Size 2 X 3\frac{1}{2} X 3 5/8. Shaft extends out 1\frac{1}{2}" from the Motor. Wt. I lb.
10 oz. Stock No. 10024. Price.....\$2,95



Deico 5069370 27 VDC Reversible PM Motor and Gear assm. in an Aluminum case. Output speed is 80 RPM through a friction clutch to a double shaft  $\frac{1}{4}$  X 3/4 on one side,  $\frac{1}{4}$  X 1½ on the other. Size complete assm. 3 5/8 X 2 X 4½ excluding shaft. Has built in moise filter system. Wt. 1 lb. 5 oz. Price.... \$ 4.95



Same Motor as used in above assm. Size I I/8 X  $I_2^{\downarrow}$  X  $2_4^{\downarrow}$ . Wt. 4 Oz. Price,.....\$2.95



Air Associates FE1530 Gear reduction 24 VDC @ .8A. 25 lb. in Torque, 5 RPM Reversible. Size 4½ X 3½ X 5½, Keyed Shaft ½ X I 3/4 with a 4" arm attached. Wt. 5 lb. Price \$ 4.95




DELCO PM MOTOR \$5069230 145 RPM 27 VDC .65A , \$x 3/8 splined shaft, 14 ez. inch terque. Motor size: 1-3/8 x 3½. wt.8ez. price: \$4.95



12 Volt DC Gearhead Motor 1 & 1/2 RPM 75 in. lbs. torgue. size 5x5x5 inches. Mfg. by White Rodgers. Type 3 part no.6906V. Price 4.95



Bendix tM108J 24VDC 1/25 HP 15,000 RPM Series Motor. Geneva Loc. Actuator. Shaft roates 4 revoluation and stops and is locked in place until next contact is made then the cycle is repeated-time per cycle app. 3 seconds. Size 4 X 24 X 5½. Shaft size 4 X ½. Wt. 1 lb. 14 oz.







Air Associates EF1220M1-Gear Reduction. Either end or Base Mount. 27V @ 1.75A-1/75 HP 960 RPM with Governor control. Size 21 X 2 3/4 

GEARNEAD MOTOR 28 VDC 8AMP HEAVY DUTY REVERSIBLE
100-200 RPM, 2% LB.FT. TORQUE WITH SPROCKET. ONE INCH
SCREW JACK 20" LONG WITH BALL
JOINT & MTG. FLANGE ONE END AND FL
BALL BEARING OTHER END. POSITIONER
BRACKET 6" LG x 3%" w. & SPROCKET.
MOTOR SIZE 72x10x4%.
TOTAL WT. 21 LBB.
STK# T80-4875
PRICE: \$8.95



John Oster Shuht Motor 8-9-1 27 VDC Price....

MOTOR ONLY \$1.50



DELCO PM HLOWER
DELCO motor #506871,27
volts DC 10,000 RPM & Blower Assy. everall size 2 5/8 x 2t x 3 WT. 9 ez.

Motor-Blower \$3.95 Motor enly \$2.95



OSTER 10 CFM Blower
John Oster motor C2BP-1A
27.5 VDC 1/100 HP 6000 RPM with blower lOCFM. Size  $3\frac{1}{2} \times 3\frac{1}{2} \times 4\frac{1}{2}$  Wt  $1\frac{1}{4}$ .


Motor & Blower \$3.95 Motor only 1.95



400 CYCLE BLOWER
Eastern Air Devices
10 CFM Blower 115 Volt
400 cycle, 1/100 HP
motor. Size 3½x3½x½
Wt. 1 lbs.
Motor- Blower \$5.95 Motor enly \$3.95



PINCOR BLOWER
Cast Aluminum houseing shunt type motor 24 VDC 5000 RFM,10 CFM blower. Motor neise filtered.WT 11b



OPEN TYPE BLOWER
Delco motor 5069267 27 VDC
6000 RPM, reversible shunt
type, flange mount. WF 1 lb
size 1-3/4x2-5/8x24.
Notor-Blower \$1.95 Notor only \$1.50



DELCO PM MOTOR
10,000 RPM
27g VDC, g" TAPERED SHAFT WITH GOVERNER. WILL
OPERATE LOWER VOLTAGE LESS RP
SIZE:32x|x| PRICE: \$1.50



MOTOR PUMP & CYLINDER Sampsel P N Motor with 2½" pressure pump & 2½" vacumn cylinder also 3 small relays, micr witch.operates from 24 VDC. Price \$6.95

AMERA MOTOR Open frame used in aircraft cameras 12 Volt AC-DC Double end shaft 1/8 x t,motor size 2kx 22.5000 RFM. # CM-120 Price ....\$1.95



PERMANENT MAGNET DC GENERATOR 2.1 Volts & 100 RPM. Electric Indicato

Style CB. Stock # 3H3100-83 Size 3½ x 1½ x 2.Shaft 3/16 x 5/8 New \$9.95

RI-42 ANTENNA REEL MOTOR & GEAR BOX 24 volt DC 1/8 HP reversible moto 1ble motor with magnetic clutch.Adjustable gear box with lim-it micro swit Originaly used in planes

for letting out & reeling in antenna Motor & Gear Box Used \$1.95 N \$3.95

W/Empty reel .50 extra Reel with 200 FT. Antenna Wire \$2.00 HEAVY DUTY



TYPE GEAR HEAD MOTOR JOHN OSTER #KU-II-IR

REVERSIBLE


28 VDC 100 - 200RPM 8 AMP 2 1b. FT. torque.Size 7 x 10 x 4 WT. 12 1be Shaft size 7/16 x 3/4. Price \$5.95

## BC 683 LCU 3 COIL RF escellator tuning unit USED FOR CONVERSION OF BC-603 TO BC-683 FREQUENCY

1-70 TUNING METER 2" AS USED IN RADIE COMPASS CONTROL BOX TUNE FOR MAX SCALE 2MA RIGHT, 5MA LEFT. 5 OHM DC RES. USED \$1.50



TUNNING UNIT FOR 32 RA
TRANSMITTER
7 PROME PLUG IN
BABE, 2/17 PLATE
VARIABLE CONDENSER
#1 RANGE | 1.5-2.7MC
12 - 15"
STK#206532- EACH \$1.50



CERAMIC COUPLER 2"
DIA. 2" SHAFT EA.SIDE
STK#SWTU-5 PRICE:\$.50



GIANT 4 CONTACT GERAMIC FOR 872, 21 ETC. 31 RD. GEHML7461594-GI PRIGE: USED \$.39

GIANT 4 CONTACT CERAMIC SOCKET FOR 715.718 ETC.33" RE STK#2Z7684.98 PRICE: NEW \$.50



GIANT TUBE SOCKET 7 CONTACT FOR 8|3 4E27A ETC. 2½" aq GE#M7466795-|/442 PRICE: \$.75 NEW

BAND CHANGE SWITCH 9 CERAMIC WAFERS, RIGHT ANGLE BEVEL GEAR DRIVE SILVER CONTACTS.

SIZE 12x2x2t STK#SWII014 PRICE: NEW \$1.50



PHONE CW SWITCH
2 DECK
4 BREAK
3 MAKE SIZE: 2x4 GE#ML7464910-G1/407 \$2.25



GE#ML7468212-G1/403 \$2.25 ANTENNA CIRCUIT SWITCH 2 DECK 3 POSITION SIZE: 3x44 GE#ML7762999-GI/397 \$1.95

BAND SWITCH 4 DECK 6 POSITION

GE#P42J276-1/396 PRICE: \$6.50

SIZE: 3x6

## Capacitors

2000 MFD 15 VDCW 13x42RD \$ .59 2000 MFD 507DCW 2 x44RD 5 x5 MFD 400 " 32x32x2 6 MFD 600 " 32x32x1 10 MFD 1000 " / x42x2 \$2.75 All above items are new & unused

OIL CONDENSERS listed below have been removed from unused

60	uipm	ent a	nd a	re guarante	ed.
4	MFD	400	VDC	2½x3½x1½	.30
5-5	11	400	2	3±x3±x2	•50
4	Ħ	500	17	lax4x1	.40
2	н	600	11	12x42x1	\$ .25
4	19	11	17	23x42x11	.45
8	17	H	н	3ax4ax1t	•75
818	H	10	19	31x31x2	1,00
(	Plug	in Ty	7pe 4	prong)	
1	- 11	1000	) 11	lax2txl	.30
2		1 11		23x43x1	.40
Round can single hole mounting					
Negative can. Size 12 x 42					

Unused slightly dented cans . 4 MFD 600 VDC . 5 for \$1.00 1500 12x4x1 .50

660 VAC 3½x4½x1½ 1.25 330 VAC 4x4x1½ .75 1000 VAC 3½x4x2 .75

## Condensers



ART-13 VARIABLE CAPACITOR 50-200 MMF. 7000 VOLT .17" AIR GAP.WITH AUTO TUNE ASSY. SIZ: 5x5x12. WT: 6 LBs. 22 MMF to 118 MMF #1169 \$1.95 20 MMF to 156 MMF #527-T5 1.95 33 MMF to 440 MMF #506-141 1.95



NEW OIL CONDENSERS

4 MFD 2000 VOLT GE#25F70 21x32x4 \$4.95

-			
GE#23F103	4MFD-600	VDC\$	.50
GE#23F102	2 " "	98	.30
GE#23F115		11	.25
GE#23F114		29	.20
GF#23F188		91	. 25

## Switches

Switches removed from new equip.

T(	والمراء الا	PMTICE	165	
TYPE	MTG	VOLTS	ST#	PRICE
S.P.S.T.	NUT	3A/125	SW-10!	.20
S.P.D.T	- 11	19	8839K	L .35
4.P.S.T.	18	H	8883K	.55
4.P.D.T.	н	11	SW-15	1.00
D.P.S.T	37	n	8822K	L .35
D.P.D.T.	- 11	11	SWP22	.50
S.P.S.T.	18	n	8817K	2 .25
( Momentary )				
		44	OM 001	

(Momentary one side)



SWITCH HEAVY DUTY TAP Six (6) position four hole mounting Size  $2\frac{1}{4}$  x  $2\frac{1}{4}$  x  $1\frac{1}{4}$ Size 2½ x 2½ x 1½ Stock3Z9604-2





TYPES LISTED BELOW \$1.95 Each /6 volt for PE-117 PE-97 & PE-237 (Same as VB-7

VS-3 /6 volt for PE-104 (Same as Mall-5500) G534/12 volt for PE-110 VB-8 /2 volt for PE-157 VB-9 /6 volt for PE-157 VB-11/24 " for PE-120 for PE-120

## **Rheostats**



		-
Watts	Ohms	Price
25	250	\$1.25
25	200	1,00
50	2	1.00
50	1100	1.00
50	2000	1.00

200 75

Rheostat in metal case 150 Watt 10 Ohm \$3.95 fused, connector & knob. Case size  $4\frac{1}{2} \times 5 \times 3\frac{1}{2}$ .

## Breakers



VOLTS 125 AC 117 AC P-0111 PAM-1515 12 \$1.50 PAN-1515 117 AC 1107705W 117 35 62349M6 117 AC 1.25 (3 POLE) 8751K4, 30 DC 10

## Relays

ANTENNA Change over RELAY 12 Volt DC 2 Break 100 Watt

Stock # 206191/L1 Price \$3.95



STARTING Relay 14 volt DC S.P.S.T. 43 AMP. Stock#3H1777A/3



VOLTAGE REGULATOR 12 VOLT DC Type 956 Model 1 STYLE A





33 ASST 15MMF-.01MFD. \$1.00 a KIT

TUBULAR CONDENSER 50 ASST. 200 to 600 V \$1.00 a KIT



CONDENSERS 25 ASST. 10 MMFD To \$1.00 a KIT

TRIMMER CONDENSERS 3 to 280MMF WIDE RANGE \$1.00 KIT.



RESTSTORS INSULATED

1,1,1 & 2
Watt wide

inge of good values 50 ASSORTED \$1.00



Watt. Wide tapped.25 ASST \$1.00



TO ASST. Popular Values \$1.00

SOCKETS 20 ASST. Octals Loctals Minatures Wafers bto



PILOT LIGHT SOCKETS 25 ASST Bayonet Screw etc. \$1.00







sizes for all uses in clear plastic box, Approx 200 PCS \$1.00



CONDENSER KIT 10 FOR \$1.00

GRAB 10 POUNDS NEW-USEABLE RADIO PARTS





Gauss: 5200 Gaus .Gauss:

1/2" Airgap: .Airgap: Poles: Tapered .Poles: Tapered 1-3/4 to 3/4" .1-3/4 to 3/4" .Height: 7" .Height: 7" Height: 7"
Base: 2-3/4x62" Base: 2-3/4x62\* .Base: 2-3/4x62\* Weight: 9-3/4 lb.Weight: 9-3/4 lt

PRICE: \$9.95 . PREGE:\$9.95



METAL BOX WITH
REMOVEABLE TOP,
CUTOUTS FOR ACCOUT
LETS & SWITCH.
SIZE: 62X42x42 PRICE: \$.50

METAL TOOL BOX HANDLES ON SIDE HINGED COVER. SEZE: 24x15x15 WT: 36 LBS. PRICE: \$5.00



HORSESHOE MAGNETS
5 lb. Lift 24x2x3/8" 1 1
25 lb. Lift 24x22x12 1 1
75 lb. Lift 4 x32x3 42 1 1b. 2.90 1b. 4.95



ASSORTED MAGNETS
Round Magnet 2½x2" WT.2 lb.\$1.50
Oblong " 1½x2½x5/8 3/4 lb 1.00 Oblong " 14x24x0/0 ). Asst. types used on speaker 3 for



HAND TYPE MAGNETO GENERATORS sed for ringing telephone lines AC voltage output approx.100 voltan be used as shock machine, light small bulbs or drive worms out of the lawn.

GN-38 with 3 Magnets GN-38A NO Magnets W/COILS GN-38B with Alnico Magnets GN-41 With 4 Magnets G-41PTRound type







Mirror Type
Size 62 x15 WT.9 1b.
Price \$2.50

Block



PRI: 115/230 60 cyc SEC: 800 CT. 120 MA Size5x5x6 WT. 13 lbs. Stock # 2Z9621-380 Price \$3.95



PRI: 115 V 60 cyc. SEC: 1080 CT.142 MA. AMP 2 AMP Size 5x52x52 WT.14 lbs Stock # 2Z9613.52 Price \$4.95



PRI: 115 V SEC: 624 CT. 6.3 60 cyc. 70 MA. 2.1 AMP.

Size32x4x6 WT. 8 lbs. Stock # 2Z9611.39 Price \$2.95



PRI: 115 V 60 cyc. SEC: 488 CT. 95 MA. 6.3 .52 AMP. Size3½x4½x3½ Wt.61be. Stock #2Z9612.150 Price \$2.95



PRI: 115 V SEC: 660 CT 100 MA. 5 AMP. 6.3 Size 4x5x42 WT. 91 1b Stock # 6J23 Price \$3.95



PRI: 115 V 60 CTC.
SEC: 1100 V 75 MA.
7.5 3.25 AMP. Size 4x5x5 WT. 102 1b
Stock # 229812

Price \$2 CTC.

PRI: 115 60 Cyc.
SEC: 2400 CT 106 MA.
Size 4x5x5 WT. 25 1b
Stock # 229614-152

Price \$2 CTC. Price \$3.95



PRI: 115 60 CYCLE SEC: 680CT 225 MA 1540 20 " SIZE:5x5±x5±wT 16 STK# D-161916 PRICE: \$4.95

PRI: 115 V/50-60C SEC: 720 CT/200MA 12.6 3 A 6.6 10 A 5.25 3 A

PRI: 115 V 60 CYC SEC: 70 CT 2 AMP 2 CT 24 " 5.4 V 4 "

Size:5x5x4 WT.13 STOCK#702770 PRICE:\$3.95

FILAMENT TRANSFORMER

S/5x41x51.WT: STK.# 203533 PRICE: \$4.95

60 cyc 35 MA. 2320 CYCLE.WIDTH
BAND 1285-4200cps
INPUT 600 0HM
OUTPUT 120,0000HM
SIZE 2½x2±X3 WT2
STK # 3Z1892-19
PRICE: \$1.95 Stock #RM-13-317 Price \$1.75



AUTO VIBRATOR TRANSFORMER

VIERATOR 12/115cy SEC: 248CT 90 MA 1 2.4 AM 115.2cv23%3k3 WT4 STK#2Z9625-75 PRICE: \$1.50

VIBRATOR 12/115CY SEC:405 CT 140 MA 115 CYCLE SIZE:23×3×3 WT 3L STK# 2Z9625-74 PRICE: \$1.50

VIBRATOR FOR ABOVE TRANSFORMERS 6.3 V 4.3 AMP. FOR 12 V USE DROPPING RESIS TOR.

STK# 3H6690-15 PRICE; \$1.95





PRI: 95,105,115, 125,190,210,230, 250,50/60 CYCLE 600 WATT.

SEC: VOLTAGE DEPE TAPS ARE UBED.
SIZE: 5x7x5 WT.16
STK:# 2Z9605.3
PRICE: \$6.95



PRI:70/100/140/200
60 cycle
SEC: 10 CT 10 AMP
3 KV TEST
SIZE:6x42x5 WT;10
GE#M7465024-R1
PRICE:\$5.95 CURRENT TRANSFORMER Current Ratio - Amps. 150 - 5

25-60 cycle Standard Impulse Test Gap Rating .8 Inch. Line voltage 1000 Style 71R567 Size 5x5x6 Wt. 7t lbs. Stock # 2Z9933-1911 Price \$4.95

LINE TRANSFORMER PRI: 50/125/200/ 250/333/500 OHMS SEC: SAME AS PRI-SIZE: 22x3x2 WT 13 STK# KENYON T-26 PRICE: \$2.95



PRI: 115/230 60cyc SEC: 750-0-0-750 1.66AMPBI.66 81ZE: 13x10x11 WT: 115 LBS. STK#2Z9607-16 PRICE: #39.50



PRI; 115/230 V 60 cyc SEC: 9 VCT 35 AMP SEC: 9 VCT 35 AMP Size 5x7x62 WT.212 1b Stock # 2Z9611-124 Price \$5.95



PRI: 115 V 60 CYC SEC: 5 V 6 Amp SEC: 5 V 6 Amp.
4 windings 5V 6 2 "
Size 3x32x4 Wt.8 lb
Stock # 2Z9611.135



PRI:70/100/140/200

PRI:70/100/140/200
SEC: 12.6 CT 7 A 6.3 CT .5 A 6.3 CT 1.5 A 6.3 CT 1.5 A 2.5 KV TEST SIZE:58/3X4 WT 5LB STK# GE#7465625-PI PRICE:\$5.95



PRI: 115 V 60 CYC SEC: 5 VCT 5 AMP Size 32x42x5 WT.6 lbs k # 9953-5 Price \$3.95



PRI: 115 V 60 CYU SEC: 900 CT 300MA SIZE: 5x5x5 WT. 16 STOCK#KEN-S13949 PRICE: \$6,95

PRI: 115/230 60 c; SEC: 16 CT 39 ar Size8½ x 10½ x 9½ WT.50 Open Frame Stock# 2Z9600.111 Price \$19.95



MODULATION TRANSFORMER Vatts 20 Response Response 200-5000-1DB Pri.Z 6000 SEC.Z 6000 Collins #677-2010-00 Size 22x22x32 WT.311bs Stock# 2Z9634.53 Price \$2.95



ART-13 MODULATION TRANSFORMER

WATTS 100
PRI: 270 OHMS DC
SEC: #! 130 OHMS
#2 170 "
RESPONSE 200 - 500
SIZE:41\*AX3 WT5LBS
STK:#229634.38
PRICE: \$4.95





RESPONSE 200 to 5000 PRI: 7000 SEC: 7000 F/BC-191/375 TRANS. lize 3x4x5 WT. 52 lbs tock # 2c6191/T1



MODULATION - TRANS
30 WATT (815 TUBE)
RESPONSE 200-5000
PRI: Z8000 CT.
SEC: Z44000
SICETONE WINDI
SIZE: 2½x3x2½ WT2½
STK #CDX901360
PRICE: \$2.95
DRIVER TRANSFORMER
SINGLE 6N7 TO PP
SEC: 3000CT OBM.
2½x2½x3½.WT LB.
STK #901379
PRICE: \$1.50



PRI: 115 V 60 CYC. 200 MA. 2 AMP. 12.5 Size4x42x42 WT. 10 lbs

Price \$8.95 DESTGNED for COMMAND TRANSMITTER



PRI: 115 V 60 cyc SEC: 500 CT. 80 MA. AMP Size 2½x2½x3½ WT.2½1b Stock # FAIR-818 Price \$4.95

DESIGNED for BC-603 BC-683, ARB. BC-348 ETC Same style as #818 PRI: 115 V 60 CYC. SEC: 500 CT 80 MA: 6.3 2 AMP. Size 2\frac{1}{2}x2\frac{1}{2}x3 WT. 3 lb. Stock # FAIR-1000 Price \( \frac{2}{3}.95 \)

Same style as #818

500 CT 24 50 MA. 1 AMP. Size 2½x2½x3 WT. 3 LB. Stock # FAIR-619 Price \$3.95

DESIGNED FOR COMMAND



PRI: 115 V SEC: 12.5 V 12.5 Size 42x4x22 Wt.51 1b Stock # FAIR-5005

PRICE: \$4.95 Same style as #5005 PRI: 115 V 60 cyc SEC: 24 V 1 AMP. Size 2-3/4x2\(\frac{1}{2}x2\)\(\frac{1}{2}\)T.21b. Price \$1.95

Same style as #5005 PRI: 115 V 60 CYC. 12.5 V 1 AMP. Size 2½x2x2½ Wt. 1½1b Stock # FAIR 2468 Price \$1.75

TRANSFORMERS



ST#2Z9931

Price \$.59

Price \$.59 Pri: 1.5 ohm Sec: 35-35 " PO/BG-347



8 HY 150 MA. 2½x3x2½ "WT 2 1b ST.# T13C3O



HY 100 MA. 4x4x5 WT.8 1b



12.5 HY 100 MA 250 OHMS. Price \$1.75





/500 LINE TO GRID 807 TUBE 100MA. 2x3x2 GEM7465621-1 PRICE:\$1.00 17 HY 8





BIZE: 2x2x2 3EM7465623-PRICE: \$.75



10 HY 150 MA. 150 OHM 3½x3½x¼ WT.5½ 1 Stock#3C323-625 STOCK#2C4348 2x4x2 WT. 21 Price \$ 1.00



Microphone Transformer

Pri: 1 ohm Sec: 2000 " 12x2x12 ST#2Z9666A Price \$.59



1tx1tx2 PO/:1'-26/A]



## RE-1/ARR 1 CONVERTER

RE-1/ARR-1 CONVERTER 234-258
MC USING 4/954 ACORN TUBES.
USED WITH BC229, BC429 & RU
SERIES RECEIVERS AS IT MOUNTS
ON TOP INSTEAD OF COVER.
CAN BE CONVERTED FOR 2,6 & 220
MC BANDS. COMPLETE WITH TUBES
SIZE:3½ x 3½ x 12. WT: 4 LBS.

PRICE: RE-NEW \$ 2.95



APN-1

RT-7/APN-1 F.M. RECEIVER-TRANSMITTER WIE-//APN-I F.M. RECEIVER-IRANSMITTER
USED IN AIRCRAFT TO INDICATE ALTITUDE ON
ASSOCIATED INSTRUMENTS WHICH ARE NOT INCLUDED. COVERS F.M. FREQUENCIES 418 - 462 MC.
COMPLETE WITH TUBES 3/12SJ7,4/12SH7,2/12H6,
2/955,2/9004 & I/VR-150. ALSO 24 VOLT DYNAMOTOR, FM PHASE SHIFT WOBULATOR CONNECTORS.
SIZE: 8 x182 x 82. WT: 25 LBS.



PPI RADAR SYNCHRONIZER OFFSET CHASSIS ASSY WITH TUBES 2/6AT6 6100,6096,6101,8 CERAMIC 7 PIN SOCKETS,5 TEST PIN JACKS,5 PRE CISION RESISTORS, COMBENSERS, TRANSFORMERS ETC. SIZE 78x5x3 STK# WITH \$2.95 TUBES \$.50

BE-77 TELETYPE LINE UNIT. THIS UNIT MAKES THE NECESSARY CONNECTIONS BETWEEN A DC SOURCE, WIRE LINE CIRCUIT & TELETYPEWRITE REPEATS SIGNALS BACK & FORTH FROM THE EQUIPMENT, MEASURES AND ADJUSTS LINE VOLTAGES. COMPLETE WITH 3<sup>TH</sup> BIAS METER ZERO CENTER 0-120DCy & 0-100DC MA. \$3.95





T-9/APQ-2 T-9/APQ-2 RADAR TRANSMITTER AM 200 - 500 MC ORIGINALLY USED IN AIRCRAFT FOR JAMMING RADIC & RADAR SIGNALS. APPROX. 6 TO 15 WATTS OUTPUT DEPENDING ON FREQ. EXCEPTIONALLY STABLE LINE OSCILLATOR EMPLOYING TWO W.E. 388 DOORKNOB TUBES IN PUSH PULL. INDEPENDENT GRID & PLATE TUNNING WITH INDICATION ON VEEDER ROOT COUNTERS. COAXIAL OUTPUT POWER MEASURING ASSY WITH ADJUSTABLE OUTPUT COUPLING & TUNNING ASSY. VOLTAGE REQUIRED 450 VDC 250 MA. & 2 TO 6 V. COMPLETE WITH TUBES 93! NOISE TUBE, 2/807, 2/6AC7, 1/6AG7, 2/388 TUBES ALSO USED BUT NOT SUPPLIED. SIZE 7½ x 10 x 19½: WT: 33 LBS. RADAR TRANSMITTER AM 200 - 500 MC



ID-II/APS-4 INDICATOR 3" score 3FP7 & 2/6J6 TUBES.

TNDICATOR MADAR 5" CATHODE RAY TUBE #5FP7 CABLES & CONTROLS NEW 40.95 \$2.95



INDICATOR **AMPLIFIER** SCOPE APA-17

IP-94/APA-17 RADAR INDICATOR 5", AMPLIFIES AND GIVES VISUAL INDICATION OF THE RELATIVE BEAR-ING OF RADIO & RADAR SIGNALS IN THE FREQUENCY RANGE OF 250 TO 1000 MC. WHEN USED IN CONJUCTION WITH A RECEIVER COVERING THE SAME RANGE. MAY BE ADAPTED FOR USE ON OTHER FREQ. OR CONVERTED FOR USE AS A TEST OSCILLOSCOPE. HAS ALL CONTROLS ON FRONT PANEL ALSO HAS SELSYM MOTOR ATTACHED TO VARIABLE CONDENSER THAT IS USED FOR SCANNING IN SYMCHRONUS WITH ANTENNA MOTOR. COMPLETE WITH 1/5JP2 5" CATHODE RAY TUBE, 1/6SH7,1/6SJ7,2/6AC7. 2/6H6,1/6V6 & 2/2X2 HAS POWER SUPPLY FOR CR TUBE ONLY THAT OPERATS FROM 1.15 VOLT 400 CYCLE. SCHEMATIC FURNISHED ID-80/APA-17 WHICH IS EARLIER MODEL BUT WILL BE VERY SIMILAR. SIZE 112 X 92 X 24: WT: 24 LB

PRICE USED \$9.95

1D-80/APA-17 Same as above only earlier model and uses only one 2X2 type. With schematic.

PRICE RE-NEW \$16.95

ID-169B/APN-12 RADAR OSCILLISCOPE

ID-169B/APN-12 INDICATOR: Used with werious types of Radar Sets for indication of incoming signals. Can be converted to a monitoring unit or test Oscilloscope.Has vertical, horizontal, focus, sweep & intensity controls. Antenna change-over motor using small type coaxial connectors. Tube used 5/12AU7 3/5726,1/6A05,1/6AQ5,1/6X4 & 1/3JF1.Operates from 115 Volt 400-1000 cycle &24VDC. Size 9 x 9 x 16. WT. 25 lbs. Complete with tubes & schematic.
Also has 50K ohm Helipot. (Similar to EC-929 only it is later model) Price Used \$12.95

## RANGE COMP





CP-103/APA-44A RANGE COMPUTER
PART OF A AIRCRAFT COMPUTER LANDING SYSTEM.
BEAUTIFUL PIECE OF EUIPMENT WITH A FINE GEAR
TRAIN & DIAL ASSY, 2 MOTORS, 2 AUTOSYNS, 2 MICROPOT, SLIP RINGS, RELAYS, RECTEFIER, PRECESION
RESISTORS, 12 GRAIN OF WHEAT LIGHTS, 4 FOLD BACK
SPIN TYPE KNOBS, APPROX. 25 SWITCHES OF ALL
TYPES, WILL MAKE A FINE CABINET FOR A TRANSMITTER OR RECEIVER. SIZE: 72x122x8. WT: 22 LBS.

PRICE: UNUSEB \$8.95

## DATA RECORDER 16 MM CAMERA

WEATHER OBSERVATION UNIT CONT-AINING A SUN ANGLE OPTICAL SYSTEM, 16 MM MAGAZINE CAMERA THAT TAKES ONE EXPOSURE AT

THAT TAKES ONE EXPOSURE AT

THAT TAKES ONE EXPOSURE AT

TIME AND OPERATES FROM 12

TOC, MIRRORED LENSE, GRAPH

ILTER ASSY., BAROMETER,

LOCK, COMPASS, RELAY &

2 VDC DIGIT COUNTER.

NIT WILL RECORD SIMUL
ANEOUSLY ONE FRAME AT A TIME, THE LENSE EXP
SURE PICTURE, AND BAROMETER, COMPASS, TIME &

IGIT COUNTER READINGS. (ALL ON FILM)

DMPLETE AS DESCRIBED ALSO SCHEMATIC FOR

IRING CONTROL SWITCHES AND POWER PLUG.

ZE: 15"X9"X17". SHIPPING WT. 45 LBS.

HCE NEW \$19.95

CONNECTOR PLUG \$2.00



COMPUTER CONTROL

CP-949/APA-44A WITH AUTO SYN DIFF. CONNECTED TO A GEAR TRAIN DIAL, 4 WAY SW 9 DECK CERAMIC SW. 4 POS 6 GRAIN OF WHEAT LAMPS SIZE: 6 x 7 x 5. WT: 7 PRICE: UNUSED \$3.95

# INDICATOR DATA



COMPUTER AMPLI-FIER SYSTEM. UNIT CONTAINS FIVE SPERRY SYNCHRO TRANSFORMERS 12x12 PT 662426-3 CONNECTED BY GEARS TO DIALS, FOUR AMPL-

TO DIALS, FOUR AMPLITE CANSSIS WITH TWO 6J6 TUBES EACH, 3½" NULL METER 10 x CABLE & ADAPTER IN ALUMINUM CASE SIZE 17½×10×10. WT: 33 LBs. T-101023. PRICE: LIKE NEW \$14.95



COMPUTER-SIMULATOR SYSTEM WITH FOUR SYNCHRO RESOLVERS, DIFFERENTIALS & TRANSFORMERS, FOUR PRECISION POTS.

115 VOLT 400 CYCLE 600 RPM MOTOR, DIGIT COUNTER, DIALS, ALL TYPES OF GEARS SWITCHES, CONTROLS ETG. HOUSED IN ALUMINUM CASE WITH COVER. SIZE 142x142x12 WT: 30 LBS.

STOCK#T-101251 PRICE \$12,95



**PULSE** ANALYZER

**SCOPE** APA-11

IP-148/APA-IIA PULSE ANALYZER & OSCILLOSCOPE (LATER MODEL THAN ID-59/APA-II) RADAR PULSE ANALYZER WITH REPETITION FREQUENCY OF 200 TO 6000 C.P.S. WITH EITHER A NEGATIVE OR POSITIVI PULSED SIGNAL. CALIBRATED DIALS FOR PULSE RATE & WIDTH ALSO CONTROL FOR PULSE DELAY, (2 & 160 MICROSECONDS). CAN ALSO BE USED AS A CATHODE RAY OSCILLOSCOPE. USED WITH RECEIVING EQUIPMENT APR-1, APR-4 AND SIMILAR SETS. COMPLETE WITH 1/3JP2 CATHODE RAY TUBE 3", 6/12AT7,2/6AG7,2/6AG5,2/2X2 & 1/5R4. VOLTAGE REQUIRED 115 VOLT 400 CYCLE & 24 VDC. SIZE:10 X 8 X 22. WT: 35 LBS.

PRICE USED \$14.95

## T-28 APT TRANSMIT



THE BLOWERS LISTED BELOW ARE STANDARD SHADED POLE TYPE AND ARE QUITE RUNNING WITH NO RADIO INTERERENCE.

#### 50 & 100 CFM BLOWERS



#### 275 CFM TWIN BLOWER

For Hot & Cold Air Circulation, Exhaust, Etc.



#2C069F

#### 144 CFM AIR-VENT BLOWER

For Ventilating & Heating, Quiet Operation



\$14.95 CFM Dayton derection of the control of the c #20982F

#### 140 CFM UTILITY BLOWER

#20610F



## **108 CFM 'PANCAKE' BLOWER**

Compact-Motor Is Inside Blower Wheel



\$15.95 is Hamited. Only

## 50 CFM ADJ. BLOWER BUY



#### ILLUSTRATED COVER REMOVED **AMPLIFIER**

LIFIER FOR TCS EQUIPMEN USES 2/12A6 AUDIO TUBES

USES 2/12A6 AUDIO TUBES IN PUBH-PULL. CARBON MICROPHONE INPUT 75 TO 200 OHM. RECEIVER; INPUT INPUT 600 OHM. AUDIO OUT-PUT 125 OHM. VOLTAGE REQUIRED 12VDC & 250VDC 60MA. AUDIO AMPLIFIER FOR MOBILE OR HOME.

SZES: 7½x7x10 WT; 15 LBS. STK‡ CMX50£28

COMPLETE WITH 3/12A6 TUBES LESS DYMAMOTOR \$2.95 6.95 WITH SCHEMATIC & MANUAL, MFG BY MAGNAVOX

UPERATES FROM 115 VOLT 60 CYCLE. HAS PHONE OUTPUT & M.CROPHONE UNBUT ACKS ALSO TWO 3" METERS DB NITH LEVEL CONTROL & 0-300 VOLT METER WITH VARIABLE VOLTAGE OUTPUT CONTROL. W/TUBES 1/5/3/2/2/43/1/84& 2/606.
SIZE:16x16x14 W 75 LBS. NAVY#CME50055

PRICE: RECONDITIOND \$14.95



NAVY Type Synchro Generator 5 G MK.1 Mod.5 115/90V 60 CYCLE. USED FOR DIRECTIONAL CONTRC ROL TO A REMOTE POSITION. OPERATE IN PAIRS AS TRANSMITTER AND RECEIVER. EACH UNIT WILL FOLLOW OTHER UNIT IN DIRECTION & SPEED OF ROTATION.

SYNCHRO ONLY 62x4, wt 5LBs.

With Heavy Duty Gear Train 10x8x5, wt 12 LBs.

SYNCHRO ONLY WITH GEAR TRAIN GEAR TRAIN 55.95

\$7.95

PORTABLE UNIT FOR SENDING MESSAGES IN WHITE OR RED FLASHES OF LIGHT IN CODE. 2000 YARDS SUNLIGHT,5MJLE AT NIGHT.USES 5 REGULAR FLASHLIGHT BATTERIES. SPRING ACTION TRIGGER FOR QUICK ACTION SIGNALING, 15 FOOT CABLE FOR CONNECTING KEY. TRIPOD ADJUSTABL 15-39". CANVAS CARRING CASE FOR ENTIRE ASSY.

COMPLETE WITH CASE, PISTOL GRIP LIGHT ASSY, GUNSTOCK, GOGGLES, KEY, FILTERS, BULBS ADJUSTABLE TRIPOD & BOOK R-150/CRW-7

RECEIVER

High frequency for remote control in the 65.9 to 92.8 MC band



WT: 8 LBS.

\$4.95

# INDENTIFICATION VISUAL

ING AND IDENTIFYING TROOP MOVEMENTS.OPERATES FROM 6 OR 12 VOLTS DC. IDEAL FOR BOATS, PLANES, AUTO'S, BOAT CAN BE USED FOR A PHOTO-FLASH UNIT OPERATING FROM 6 OR 12 VDC OR CAN BE CONVERTED TO 115 VAC FOR HOME & STUDIO USE.CONSISTS OF A HIGH VOLTAGE CONVERTER USING TRANSFORMER, VIBRATOR, SLYVANIA FLASH TUBE \$1073A, HIGH VOLTAGE CONDENSER & 20 FT CABLE. COMPLETE WITH SPARE PARTS IN CARRING CASE & INSTRUCTION BOOK. SIZE: |7x|0\$x4\$\frac{1}{2}x4\$\frac{1}{2}x4\$\frac{1}{2}x5\$\text{OLDS}. STK\frac{1}{2}AN/VVX-1 PRICE: NEW \$29.50 USED \$19.50

Code practice set used to reproduce signals previous reproduce signals previous ly recorded on inked paper tapes. Variable speed motor control to 25 words per minute. Keying oscillator for hand key also speaker & headset phone jack.

Operates from 115/230 volt 50/50 cycle. Housed in portable carring asse. Checked table carring case. Checked PRICE: USED CHECKED \$22.95



BLANK PAPER TAPE 3/8" WIDE FOR MAKING YOUR OWN INKED FOR MAKING YOUR OWN INKED CODE TAPES AS USED WITH KEY ER. 900 FT PER ROLL. 30 Rolls !5 LBs. \$3.00

CODED INKED PAPER TAPE NUMBERS 1 TO 15 EACH REEL \$2.00

AN/CPT-2 LIFEBOAT TRANSMITTER
USED FOR RESCUE WORK IN
THE 143 TO 194 MC RANGE.
COMPLETE WITH 1/3A5 TUBE
MOUNTED ON TOP OF 58"
TELESCOPING ANTENNA WITH DIPOLES, BATTERY VOLTAGE REQUIRED 2/12 & 1032 VDC. ANTENNA IS MOUNTED TO CASE SIZE 45x15x15.2LBS PRICE: USED \$1.25 N \$1.95 RADIOSONDE TRANSMITTER

CRYSTAL CONT-ROL USING I/ 3A4 TUBE 3VDC RELAY & MOTOR THAT OPERATES

RECORD ALSO PARACHUTE, PRES-SURE UNIT ETC. BATT. DPERATED FREQUENCY APPROX 403 MC.

STK#7A8325-3 PRICE: \$6.95



FREQUENCY STANDARD

OSCILLATOR TS-385 Shown at left of picture - Crystal

controlled, 376 to 418 MC; 115 V 60 cycle input; Tubes: 6X5, 6X7, 6J5, 6V6, 6A8, & 3970. KC Crystal w/Schematic. Prices: Used.... \$ 9.95 - New...\$ 12.95

ROCKET TRANSMITTER

1330 to 1850 KC - with 18 Ft. circumference Parachute. Spark Gap Transmitter, used for jamming; battery operated and with mechanical timer control. Size: 40" H x 7" Dia. T-95/GRT-2.....NEW: \$ 4.95



BC-221 FREQUENCY

C A S E — Or TS-164 Meter Case, With Voltage Regulator Tube VR-105 & two Ballast, Relay, etc. Front Comp. 9-3/4" x 7-1/2" x 7-3/8". Rear Compartment 2" Deep. — NEW: \$ 3.95

Has Adjustable Air Intake Plate



GHECKED OPERATION \$59.50

Variable condensers
for tuning four preset
channels for simultanwT:15 LBS.

operate separate relays Complete with ten tubes 6/6AG5,3/6J6,1/6AL5 24 volt dynamotor, relays band filters etc. Size 6 x 10 x 8. USED \$4.95 RE-NEW \$6.95



High frequency for remote control use in the 53-88 MC.band on preselected channe el, single fixed freq Complete with tubes 1/6SG7,1/6J5,3/6SL7, 1/6SN7 & 24 wolt dyn

# SIZE: 6 x 10 x 8 WT: 13 LBS. PRICE: RE-NEW \$4.95



#### R-74/CRW-2 RECEIVER MINE DECTECTOR

SCR-625 Famous ARMY MINE-DETECTOR Less Batt. \$24.95

With Batt. \$29.95



Portable unit for detecting hidden metal objects up 24" in depth depending on 24" in depth depending on the size and ground condit-ions. Detection is noted by a tone signal that is feed into a headset or speaker unit that are part of the set. Good for plumbers, oil, companies, miners, prospect's BATTERY BA-38 NEW \$5.95



Max Sections

7 ft. Tubular steel, cooper coated and painted sections. These screw together to make any desired length. MS-49 being the top & smallest section increasing in size through MS-50-51-52-53 to MS-54 being the larger one. Either the MS-53 or MS-54 will fit together to form any additional heighth desired. Example a 33 ft. vertical may consist of one each MS-49, 50,51,52, and 7 each of MS-53 or it may be finished out on the bottom with 6 MS-54 sections. Self support to about 18ft. Average Wt.app. 3/41bs.

MS-49-50-51-52-53 .50gea. MS-54 .75ea


MS-50 MS-51 MS-51 MS-51 MS-53 

F M Mobile Antenna Base & Whip Whip Antenna 62' tubular steel copper coated consist of one each MS-117 & one MS-118 which screw to-gether to make whip, taper 3/8" to 1/8". AB-15 insulated Mast Base for holding sections, flexiable rubber covered spring. Insulator size 3" x 3\frac{3}{6}", mounting hole required 2". Coaxial connector at bottom.

Complete Antenna \$5.95

BROADCAST BAND LOOP ANTENNA WITH MOTOR BROADCAST BAND LOOP ANTENNA WITH MOTOR DRIVE & SELSYN TRANSMITTER. WHEN USED IN COMJUNCTION WITH 1-82 INDICATOR DIRECTION OF LOOP CAN BEGIVEN TO A REMOTE POSITION. OPERATES FROM 26 VOL 400 CYC OR 12 VOLTS AC. SIZE 7X43×8 WT:3 LBS. STK. #2A1905-1 PRICES: LOOP ASSY ONLY \$7.95 1+82 5" INDICATOR \$2.95 TRANSFORMER 12 VOLT \$1.95

AS-150/ ART Whip Antenna 30" long with 8ft.
matching coax cable & SO-239 plug.
AS-97/ART
AS-27/ARN-5 Horizontal felded dipole as used with RC-103, BC-733, ARN-5 Equip.
on airplanss. 108-110 MC. Used \$2.75
AN-104A
Dipole Antenna 150 to 180 MC.
AN-104A
Stub Antenna f/SCR-522 100-156MC.



cadmium plated.

Price \$1.50

ANgll7 Whip Antenna 6 Ft.no base Tapered 5/8" to 1/8".

Price \$1.50

AW-75 Whip Antenna telescoping 84", collaspied 12", no mounting taper 5/8" to 1/16". Price \$1.00

AM-745 Whip Antenna telescoping 3 section 94", no base or mounting. taper 5 /8" tol/8". Price \$1.50

AW-131 Whip Ansenna 12 foot throw-out type DIPOLE ANTENNA 200-250 MA WITH

UG- COAXIAL CONNECTOR, WT 2LB Price \$1.50

AN-130 Gooeneck Whip 30" F/EC-1335, BC-1000 \$1.00

AN-546 Saber Type 16" Plastic Base 1.00

MP-74 Gooseneck base only 3/8" opening 1.00

UHF Whip Antenna's with coar fitting on 3" insulated mounting.

13" Rod \$1.00 10" Rod \$1.60
16" Rod \$1.50 18" Rod

Chrome plated telescoping 20" no base. Price \$.50

WHIP EXTENSION 24" 5/8" rod 1"x12 thread, can be sorewed to-gether for longer lengths.

Price \$.60 ea. 10 for \$5.00

#### RADAR ANTENNA

AS-18/APS-3 with 18" reflector, 24 Volt DC motor, position indicator & wave guides.

#### Price \$19.95

GROUND PLANE ANTENNA Ground plane antenna to cover 20 to 50 MC. Made from surplus insulated base & screw in type mast sections. Mounts on 1 to 2 inch pipe. Specify operating frequency range.

ANTENNA \$12.95


GROUND PLANE

Antenna Telscoping AW-29 for BC-659 12 FT, 10". \$2.95

AN-45 for BC-620 8 foet \$1.95 8 foet

INSULATOR TERMINAL STRIP S feed thru insulators size ½ x l, accurted on l x 9 terminal strip. Each strip \$.35 Four strips \$1.00

AERIAL WIRE
Phosphorous bronze #16
stranded 200 lb test, weatherproof, 150 ft. on RI-3 REEL with Clips. \$1.50



M-1 \$9.95 M-2 \$12.45

Standard amateur com-munications antenna comprised of the fol-lowing parts: M-3 Base M-3A Spring M-3B Whip

Standard amateur bumper mount antenna comprised of the fol-lowing parts: M-2A Bumper Mount M-3A Spring M-3B Whip Weight -- 4 lbs. 5 oz

#### Weight - 4 lbs. 7 oz. UNIVERSAL SWIVEL BASE

M-3 Base — Top-quality aluminum 2" diameter swivel with Bakelite mounting insulator and heavy steel back-up plate complete with water-sealing gasket and mounting hardware ... Gleaming finish ball. A %"-24 female thread will accept rod or spring.

## SPRING FOR MOUNTING WHIP

ASP - 63
PORTABLE ANTEN
NA ONE PIECE
40" LG. WITH NA ONE PIECE
40" LG. WITH
VINYL COVERED
LOADING COIL &
PL-259 CONNECT
SPECIFY COIL
TURNS W/GRDER
\$7.77

STAINLESS STEEL WHIP



MOBILE ANTENNA PRICES

M-1 Complete with base, spring, & 96" whip as listed below.
M-3 Universal swivel base. \$9.95 \$3.50 \$3.50 M-3A Spring for mounting whip. M-3B Stainless steel whip 96". M-2A Chain Bumper Mounting.


\$5.95 ASP-143 Double Bumper Mount 4
M-13 Swivel Base with shielded coaxial connector
W-4 Whip Gutter Clip \$7.95 6.00

ASP-165 Coaxial Antenna cable with FL-259 connector one end used with M-15 coaxial base, 12FT.\$5.50

LM-144 Automotive coarial cable push pin plug one end 12FT.



SMALL ANTENNA INSULATORS
Insulating material made Size litil Mtg.hole 3/4,"
Beceptacle size 3/8x24, TH.
STOCK # 223021-227
Fits ANT. AN-130,131, Size 7/8xl2 MTG.hole 5/8\*
Receptacle size t x 20,TH.
Fits any of the UHF Reds
Stock # 2Z3062-237



# MA-7A Mast for mounting ant-enna. Consist of 5 sections 4" tabular plywood , couplings, guy ropes,gin pole base & stakes Sipping WT. 200 lbs. \$24.95

PLYWOOD ANTENNA MAST 50 FT.

STRAIN INSULATOR Sise 1x3 4 for \$1.

IN-86

AN-148

PAGE 15

## **TCK-7 400 WATT** TRANSMITTER



NAVY TYPE- 2 TO 18 MC IN 6 BANDS,400 WATT CW 100 WATT PHONE. VFO CON-TROL ON DIRECT READING I KC DIVISION DIAL,100 TROL ON OTRECT READING
I KC DIVISION DIAL, 100
KC CRYSTAL CALIBRATOR.
RF STAGES ARE GANG TUNED
WITH DIGIT COUNTERS.
SIX 3½" METERS FOR READING VOLTAGE, CURRENT,
OUTPUT ETC. ALSO OVERLOAD
RELAYS, CIRCUIT BREAKERS
AND OTHER CONTROLS.
TUBE LINEUP: 2/813,PPFINAL, 837 DRIVER,837
VFO,AUDIO 807,6S07,6SK7,
CALIBRATOR 6SK7,6SL7,
6SJ7 & 6SN7. VOLTAGE REQUIRED: 110 VAV FOR FILAMENTS, 1800 VDC 400MA,
500 VDC 350 MA, 150 VDC
150 MA.12 VDC 2A & 230DC.
COMPLETE WITH TUBES SIZE: 5ZX25X18. WT.285LB.
MANUAL & MICROPHONE SHIPPING WEIGHT 470 LBS.
PRICE NEW \$150.00

TCK-7 MOTOR GENERATOR SET

PRACE NEW \$150.00

TCK-7 MOTOR GENERATOR SET

THIS MOTOR GENERATOR SET

THIS MOTOR GENERATOR CONSISTS OF THE FOLLOWING

230 VDC MOTOR 10 AMPS. SOMPOUND 3480 RPM COLL
ECTOR OUTPUT .35xw-163y-2.15amp 1 PHASE 60 CYI

GENERATOR: 1800VDC.400AMP. & 500/115vDC-.35/

1.5amp. OVERHUNG GENERATOR: 12VDC 2 AMP.

STARTING CURRENT 30 AMP. SIZE: 142x172x412

WT: 345LBS SHPG. WT.410LBS.

STK#CGU-21632 PRICE: \$50.00

TCK-7 MAGNETIC CONTROLLER

THIS 18 A SEMI-AUTOMATIC DEVICE FOR STARTING

THE MOTOR GENERATOR. HOUSED IN METAL BOX

SIZE 172x112x11.WT 46LBS. SHPG.WT 65 LBS.

STK#CG-211297 PRICE: \$10.00

# TDQ TRANSMITTER

115-156 mc

NAVY TYPE TRANSMITTER AM 45 WATT PHONE, 85 WATT MCW WITH 1000 CYCLE TONE. FREQ. COVERAGE 115 - 156 MC. OPERATES FROM 115/230 VOLTS 60/50 CYCLE. TUBE LINE-UP 3/829B,1/807 RF SECTION, MODULATOR SECTION, 2/65K7, 2/6J5, 2/807, 1/65N7,16X5, 1/5R4GY, POWER SUPPLY SECTION 3/5R4GY. COMPLETE WITH TUBES, HALF-WAVE DIPOLE ANTENNA, INSTRUCTION BOOK. ALL CONTROLS



WAVE DIPOLE ANTENNA, INST.

RUCTION BOOK. ALL CONTROLS ARE ON THE FRONTPANEL INCLUDING THE CRYSTAL HEATER OVEN DOOR.

EACH SECTION SLIDES OUT FOR EASY SERVICEING.

CABINET SIZE 32½ x 25½ x 18½. WT: 283 LBS.

SHPG. WEIGHT. 525 LBS.

PRICE: NEW \$ 225.00

Motor - Generator used to operate Transmitter from 230 VDC or 115 VDC. Input 115/230 VDC Output 115/230 VAC.

PRICE UNUSED \$49.50

Magnetic Controller for DC generator..\$25.00

## SCR 718 ALTIMETER

BC-788AM AIRBORNE
RECEIVER-TRANSMITTER
PULSE SIGNAL; TRANSMITTER
PULSE SIGNAL; TRANSMITTER
POWER OUTPUT APPROX 50
WATTS; FIXED FREQUENCY 440
MG. OPERATING VOLTAGE REQUIRED 115 OR 80 VOLTS 400
TO 2400 CPS. TUBE LINE-UP 3/6J6,1/6L6,9/6AG5,
5573. SIZE: 15± x9 x 8 WT: 11± LBS.



CE: UNUSED \$24.95 CONNECTOR PLUGS \$2.00EA.

#### I-152AM INDICATOR



USED WITH BC-788AM RECEIVER TRA-USED WITH BC-705AM RECEIVER TRAMINITER TO SHOW ALTITUDE ON A
3" CATHODE RAY TUBE 3DPI-S2 IN
THOUSANDS OF FEET WITH CONTROLS
FOR RECEIVER GAIN & CIRCLE SIZE.

USES TUBES 3/6AG5, 1/2x2A & 3DPIS2. OPERATES FROM SAME VOLTAGE AS BC-788AM.
SIZE:6½ X 6½ X 12. WT: 9 LBS.
PLUG CONNECTOR \$2.00 PRICE: \$8.95

## T-4 FRC **400 WATT** TRANSMITTER





AIRPORT TRAFFIC CONTROL TRANSMITTER 400 WATT C W & PHONE FREQUENCY COVERAGE 2 TO 18 M.C. BY USE OF PLUG IN COILS AND CRY STALS, ALSO MASTER OSCILLATOR. UNIT IS HOUSED IN A CABINET 12"x24"x61" AND SLIDES OUT FOR EASY SERVICING. THE 220 VAC POWER SUPPLY WITH THE UNIT SUPPLIES THE MECESSARY VOLTAGES FOR ALL THE TUBES EXCEPT THE TWO 810 WHICH REQUIRE 1600 VDC 900 MA AND FILAMENTS. ALSO THE MODIL ATOR IS NOT INCLUDED IN SE ALSO THE MODULATOR IS NOT INCLUDED IN BI COMPLETE WITH TUBES 2/810,4/807,3/6V6G, 2/866 & 2/5Y3GT. LESS AC POWER SUPPLY & MODULATOR AS DESCIBED ABOVE WHICH ARE NOT AVAILABLE.

ALL CONTROLS ARE ON FRONT PANEL WITH LOCKING NUTS. HINGED DOOR COVERS PANEL.

SIZE: 12"x24"x61". WT: 330 LBS.

PRICE: USED LESS COILS \$79.50 NEW LESS COILS 99.50 NEW WITH COILS 150.00

# AIRPORT MARKER BEACON 75MC TRANSMITTER RECEIVER



CDE-52326 NAVY MODEL MARKER BEACON TRANSMITTER PORTABLE UNIT THAT OPERATES FROM 115 VOLT 60 CYC WHICH TRANSMITTS A KEYED OR A CONTINUOUSLY MODULATED SIGNAL VERTICALLY IN A BALLON-SHAPED PATTERN ON 75 MC.USED AT AIRPORT LANDING FIELDS RUN WAYS IN CONJUNCTION WITH MARKER BEACON RECEIVERS THAT ARE INSTALLED IN THE PLANE THUS ENABLING THE PILOT TO KNOW WHEN HE IS OVER THE RUNWAY. (N CONJUNCTION WITH HIS OTHER INSTRUMENTS.)
WATTAGE OUTPUT(1) ONE WATT, MASTER OSCILLATOR & MODULATED CW. 400 CPS. 1300 CPS. 3000 CPS.
TUBE LINEUP 4/6VG.2/6SN7, 1/6SR7, 1/65, 2/VR150+30 & 1/5Y3. COMPLETE WITH TUBES & DIPOLE ANTENNA & OPERATING MANUAL. SIZE: 172 x 10 x 11.WT:35 LBS.

PRICE UNUSED \$29.95

BC-1033 MARKER BEACON RECEIVER 75 MC. USED TO RECEIVE SIGNALS FROM ABOVE TRANSMITTER. WHEN SIGNAL IS RECEIVED IT OPERATES A RELAY IN THE RECEIVER WHICH IN TURN CAN BE USED TO OPERATE SIGNALS, LIGHTS, MOTORS, TURN ON EQUIPMENT ETC. VOLTAGE REQUIRED 24 VOLTS DC. COMPLETE WITH TUBES 1/12SN7,1/6SH7 & 1/6SL7.SIZE:3x52x52 WT: 3 LBS.


PRICE: USED \$3.95



SA-22/ART-13 ANTENNA SWITCHING UNIT CONT-AINS A BENDIX VACUUM RELAY LM-26G,24 VDC, 2 POSITION CERTIFICATION 2 POSITION CERAMIC SWITCH & 4 LARGE IN-SULATORS SAME AS USE ON TRANSMITTER, ALSO

SO-239 COAX. CONNECTOR. SIZE: 11 x 7 x7 WT: 10LB.PRICE: NEW\$7.95

# 1-199



DYNAMOTOR & HAND GENERATOR TESTER USED DYNAMOTOR & HAND GENERATOR TESTER USED TO CHECK EQUIPMENT UNDER LOAD CONDITIONS. INPUT VOLTAGE READINGS 0 - 60 VOLTS & 60 AMPS DC. OUTPUT VOLTAGES 0 - 1200VOLT & 600 MA. DC. ALSO PERCENTAGE OF RIPPLE IN THE IMPUT & OUTPUT, CONTROLS FOR VARYING VOLTAGES UNDER LOAD AND LARGE 3"METER SIZE: 18 x 12½ x 11 WT: 40 LBs.

PRICE; USED \$39.50 NEW \$49.50

# MULTIMETER



PORTABLE TEST UNIT WITH 4" SQUARE METER &TEST LEADS PROVID-ING FOR THE MEASURE-MENT OF THE FOLLOWING.

JC Volts 0 - 5/25/100/250/1000/5000 @ 20,000 omms per volts 
AC Volts 0 - 5/25/100/250/1000 @ 1000 omms per volts 
DC CURRENT 0 - 1 & 0 - 5 Amp. 
AC CURRENT 0 - 1 & 0 - 5 Amp. 
DC MILLIAMP 0 - 1/10/100/500 MILLS. 
DC MICROAMBERES 0 - 50 
DC Volts 0 - 5/25/100/250/1000,1000 ommP/V 
OHMS/RESISTANCE 0 - 1000/100,000/10,000,000 
SIZE: CARRING CASE 11 & X8X5 & WT: 
PRICE: USED \$18.95

## TRANSMITTER



CONNECTOR PLUGS FOR TRANS. U/7 & U/8 \$2.50 EACH.

DYNAMOTOR FOR ART-13 WITH FILTERS & RELAYS 28 VDC INPUT. PRICE: USED \$12.95 NEW 15.95 28 VDC IMPUT.

Connector plugs for Dynamotor U-9 or U-10 Each \$2.50

CU-24/ART-13 ANTENNA SHUNT CAPACITOR CONSISTS OF 3 CAPACITORS 25 MMF 10 KY PRICE NEW \$3.95

# **RADIOSONDE**



A BALLON CARRIED METEOROLOGICAL

A BALLON CARRIED METEOROLOGICAL INBTRUMENT USED TO TRANSMIT AUTOMATICALLY TO A GROUND STATION, INFORMATION AS TO THE PRESSURE, TEMPERATURE,
& HUMIDITY. THE TRANSMITTER IS AM.
ON A FREQ. OF APPROX. 1680 MC. TYPE
T-304A. THE MODULATOR MD-147C, CONTAINING THE PRESSURE-SENSITIVE ELEMENT, HUMIDITY
ELEMENT AND COMMUTATOR, SERVES AS A
SWITCHING ARRANGEMENT FOR THE SEQUENCE OF SIGMALS TRANSMITTED. UNIT ALSO TRANSMITS A SIGNAL
FOR TRACKING THAT PROVIDES INFORMATION FOR DETERMINING WIND DIRECTION & SPEED. USES TUBES
5794 & 5875. BATTERY VOLTAGE REQUIRED 1.5, 6 &
115 VDC. MODULATOR & BATT. BOX SIZE 6X4\*X6\*
TRANS. SIZE 2\*X9. WT: LESS BATT. 1\frac{1}{2}\$ LBS. (6 | 3 GR.)
BA-259 AM, BATT. PACK REQUIRED NOT FUNNISED. (500g)
STK. # AN/AMT-4A NEW #4.95 USED \$2.95